GOVERNMENT OF INDIA MINISTRY OF RAILWAYS

RAJYA SABHA UNSTARRED QUESTION NO. 2195 ANSWERED ON 09.08.2024

STATUS OF INVESTIGATION OF TRAIN ACCIDENTS

2195# SHRI SANDEEP KUMAR PATHAK:

Will the Minister of RAILWAYS be pleased to state:

the details of the investigating agency, the status of the investigation, punishment given to the accused by the court, punishment given to the accused by the department, the number of injured and deceased, and compensation given to them or their families after the accident of the train no. 15904 on 18 July 2024, 13174 on 17 June 2024, 08504 + 08532 on 29 October 2023, 12506 on 11 October 2023, 16730 on 26 August 2023, 12841+12864 on 2 June 2023, 15633 on 13 January 2022, 18477 on 19 August 2017, 18448 on 21 January 2017, 19321 on 20 November 2016, 14266 on 20 March 2015, accident-wise?

ANSWER

MINISTER OF RAILWAYS, INFORMATION & BROADCASTING AND ELECTRONICS & INFORMATION TECHNOLOGY

(SHRI ASHWINI VAISHNAW)


A Statement is laid on the Table of the House.

STATEMENT REFERRED TO IN REPLY TO UNSTARRED QUESTION NO. 2195 BY SHRI SANDEEP KUMAR PATHAK ANSWERED IN RAJYA SABHA ON 09.08.2024 REGARDING STATUS OF INVESTIGATION OF TRAIN ACCIDENTS.

As a consequence of various safety measures taken over the years, there has been a steep decline in the number of accidents. Consequential Train Accidents have reduced from 473 in 2000-01 to 40 in 2023-24 as shown in the graph below.

It may be noted that the consequential train accidents during the period 2004-14 was 1711 (average 171 per annum), which has declined to 678 during the period 2014-24 (average 68 per annum).

Another important index showing improved safety in train operations is Accidents Per Million Train Kilometer (APMTKM) which has reduced from 0.65 in 2000-01 to 0.03 in 2023-24, indicating an improvement of more than 95% during the said period.



Consequential Train Accidents on Indian Railways and casualties therein:

Period	No. of Consequential Train Accidents	No. of Deaths	No. of Injuries
2004-05 to 2013-14	1711	904	3155
2014-15 to 2023-24 (includes accidents referred)	678	748	2087

Inquiries into all rail accidents are carried out by the statutory body, the Commissioner of Railway Safety under Ministry of Civil Aviation or Departmental Inquiry Committees as per laid down norms.The officials held responsible for accidents are taken up under 'Railway Servants (Disciplinary & Appeal) Rules'.

An amount of Rs 45.85 Crores has been paid as compensation for death and injuries of Railway passengers in these eleven accidents.

Safety is accorded the highest priority on Indian Railways. The various safety measures including track maintenance and modernization of signalling systems taken to enhance safety in train operations are as under:-

1. On Indian Railways, the expenditure on Safety related works has increased over the years as under:

Exp	enditure on Safety	(Rs	in Cr)
	2022-23 (Act)	2023-24(Act)	BE 2024-25
Maintenance of Permanent Way &	18,115	20,322	21,386
Works			
Maintenance of Motive Power and	27,086	30,864	31,494
Rolling Stock			
Maintenance of Machines	9,828	10,772	11,864
Road Safety LCs and ROBs/ RUBs	5,347	6,662	9,980
Track Renewals	16,326	17,850	17,652
Bridge Works	1,050	1,907	2,137
Signal & Telecom Works	2,456	3,751	4,647
Workshops Incl. PUs and Misc.	7,128	9,534	9,634
expenditure on Safety			
Total	87,336	1,01,662	1,08,795

- 2. Electrical/Electronic Interlocking Systems with centralized operation of points and signals have been provided at 6,589 stations up to 30.06.2024 to eliminate accident due to human failure.
- 3. Interlocking of Level Crossing (LC) Gates has been provided at 11,048 level Crossing Gates up to 30.06.2024 for enhancing safety at LC gates.
- 4. Complete Track Circuiting of stations to enhance safety by verification of track occupancy by electrical means has been provided at 6,609 stations up to 30.06.2024.
- 5. Axle counters for Automatic clearance of Block Section, BPAC (Block Proving Axle Counter) are provided to ensure complete arrival of train without manual intervention before granting line clear to receive next train and to reduce human element. These systems have been provided on 6079 Block Sections upto 30.06.2024.
- 6. A project for provision of Long Term Evolution (LTE) based Mobile Train Radio Communication system has been approved for 34,803 Rkms over Indian Railways.

- 7. The project for provision of Tunnel Communication has been taken up in various zonal Railways.
- Emergency talk-back system and Emergency Alarm Systems have been provided in Vande Bharat Train sets.
- 9. CCTVs have been provided in all Vande Bharat Express coaches. Till date more than 9572 coaches are equipped with CCTV.
- 10. Detailed instructions on issues related with safety of Signalling e.g. mandatory correspondence check, alteration work protocol, preparation of completion drawing, etc. have been issued.
- 11. System of disconnection and reconnection for S&T equipment as per protocol has been reemphasized.
- 12. All locomotives are equipped with Vigilance Control Devices (VCD) to improve alertness of Loco Pilots.
- 13. Retro-reflective sigma boards are provided on the mast which is located two OHE masts prior to the signals in electrified territories to alert the crew about the signal ahead when visibility is low due to foggy weather.
- 14. A GPS based Fog Safety Device (FSD) is provided to loco pilots in fog affected areas which enables loco pilots to know the distance of the approaching landmarks like signals, level crossing gates etc.
- 15. Modern track structure consisting of 60kg, 90 Ultimate Tensile Strength (UTS) rails, Prestressed Concrete Sleeper (PSC) Normal/Wide base sleepers with elastic fastening, fanshaped layout turnout on PSC sleepers, Steel Channel/H-beam Sleepers on girder bridges is used while carrying out primary track renewals.
- 16. Mechanisation of track laying activity through use of track machines like PQRS, TRT, T-28 etc to reduce human errors.
- 17. Maximizing supply of 130m/260m long rail panels for increasing progress of rail renewal and avoiding welding of joints, thereby improving safety.
- Ultrasonic Flaw Detection (USFD) testing of rails to detect flaws and timely removal of defective rails.
- 19. Laying of longer rails, minimizing the use of Alumino Thermic Welding and adoption of better welding technology for rails i.e. Flash Butt Welding.
- 20. Monitoring of track geometry by OMS (Oscillation Monitoring System) and TRC (Track Recording Cars).
- 21. Patrolling of railway tracks to look out for weld/rail fractures.
- 22. The use of Thick Web Switches and Weldable CMS Crossing in turnout renewal works.
- Inspections at regular intervals are carried out to monitor and educate staff for observance of safe practices.

- 24. Web based online monitoring system of track assets viz. Track database and decision support system has been adopted to decide rationalized maintenance requirement and optimize inputs.
- 25. Detailed instructions on issues related with safety of Track e.g. integrated block, corridor block, worksite safety, monsoon precautions etc. have been issued.
- 26. Preventive maintenance of railway assets (Coaches & Wagons) is undertaken to ensure safe train operations.
- 27. Replacement of conventional ICF design coaches with LHB design coaches is being done.
- 28. All unmanned level crossings (UMLCs) on Broad Gauge (BG) route have been eliminated by January 2019.
- 29. Safety of Railway Bridges is ensured through regular inspection of Bridges. The requirement of repair/rehabilitation of Bridges is taken up based upon the conditions assessed during these inspections.
- 30. Indian Railways has displayed Statutory "Fire Notices" for widespread passenger information in all coaches. Fire posters are provided in every coach so as to educate and alert passengers regarding various Do's and Don'ts to prevent fire. These include messages regarding not carrying any inflammable material, explosives, prohibition of smoking inside the coaches, penalties etc.
- 31. Production Units are providing Fire detection and suppression system in newly manufactured Power Cars and Pantry Cars, Fire and Smoke detection system in newly manufactured coaches. Progressive fitment of the same in existing coaches is also underway by Zonal Railways in a phased manner.
- 32. Regular counselling and training of staff is undertaken.
- 33. Concept of Rolling Block introduced in Indian Railways (Open Lines) General Rules vide Gazette notification dated 30.11.2023, wherein work of integrated maintenance/ repair/ replacement of assets is planned up to 52 weeks in advance on rolling basis and executed as per plan.

SN	Item	2004-05 to 2013-14	2014-15 to 2023-24	2014-24 vs 2004-14
	Track Maintenance			
1.	Expenditure on Track Renewal (Rs. In Cr.)	47,018	1,09,659	2.33 times
2.	Rail Renewal Primary (Track Km)	32,260	43,335	1.34 times
3.	Use of high-quality rails (60 Kg) (Km)	57,450	1,23,717	2.15 times
4.	Longer Rail Panels (260m) (Km)	9,917	68,233	6.88 times
5.	USFD (Ultra Sonic Flaw detection) Testing of	20,19,630	26,52,291	1.31 times
	Rails (Track km)			
6.	USFD (Ultra Sonic Flaw detection) Testing of	79,43,940	1,73,06,046	2.17 times
	Welds (Nos.)			
7.	New Track KM added (Track km)	14,985	31,180	2.08 times
8.	Weld failures (Nos.)	In 2013-14:	In 2023-24:	87% reduction
		3699	481	

The details of Safety related works undertaken by Railways are tabulated below:

Provision of Fire and Smoke Detection System in AC coaches (Nos. Of Coaches) Provision of Fire Detection and Suppression System in Pantry and Power Cars (Nos. Of Coaches) Provision of Fire Extinguishers in Non –AC coaches (Nos. Of Coaches) Budget allocation Gross Budgetary Support for Railway	0 0 0 1,56,739	2,991 66,840 8,25,967	5.3 times
in AC coaches (Nos. Of Coaches) Provision of Fire Detection and Suppression System in Pantry and Power Cars (Nos. Of Coaches) Provision of Fire Extinguishers in Non –AC coaches (Nos. Of Coaches)	0	2,991	
in AC coaches (Nos. Of Coaches) Provision of Fire Detection and Suppression System in Pantry and Power Cars (Nos. Of Coaches)	0	2,991	
in AC coaches (Nos. Of Coaches) Provision of Fire Detection and Suppression System in Pantry and Power Cars (Nos. Of		·	
in AC coaches (Nos. Of Coaches) Provision of Fire Detection and Suppression		·	
in AC coaches (Nos. Of Coaches)		·	
Provision of Fire and Smoke Detection System	0	19,271	
	,	19,271	
	2,337	36,933	15.80 times
Rolling Stock	1		
Fog Pass Safety Devices (Nos.)	As on 31.03.14: 90	As on 31.03.24: 19,742	219 times
	1,486	2,497	1.67 times
Electronic Interlocking (Stations)	837	2,964	3.52 times
Signalling Works	1		
Expenditure on Bridge Rehabilitation (Rs. In Cr.)	3,919	8,008	2 Times
Bridge Rehabilitation	,	,	
	5,726	36,699	6.40 Times
Road over Bridges (RoBs)/ Road under Bridges	4,148	11,945	2.88 Times
Elimination of Manned Level Crossing Gates (Nos.)	1,137	7,075	6.21 Times
		(All eliminated by 31.01.19)	
(Nos.)	31.03.14: 8948	31.03.24: Nil	reduction
	As on	As on	100%
Level Cressing Cote Flimination	= /48	= 1,661	
Track Machines (Nos.)			122% increase
Thick Web Switches (Nos.)			
	2548	383	
	Track Machines (Nos.) Level Crossing Gate Elimination Elimination of Unmanned Level Crossing Gates (Nos.) Elimination of Manned Level Crossing Gates (Nos.) Elimination of Manned Level Crossing Gates (Nos.) Road over Bridges (RoBs)/ Road under Bridges (RUBs) (Nos.) Expenditure on LC Elimination Bridge Rehabilitation Expenditure on Bridge Rehabilitation (Rs. In Cr.) Signalling Works Electronic Interlocking (Stations) Automatic Block Signaling (Km) Fog Pass Safety Devices (Nos.) Rolling Stock Manufacture of LHB Coaches (Nos.)	2548Thick Web Switches (Nos.)NilTrack Machines (Nos.)As on 31.03.14 = 748Level Crossing Gate Elimination= 748Elimination of Unmanned Level Crossing Gates (Nos.)As on 31.03.14: 8948Elimination of Manned Level Crossing Gates (Nos.)1,137Road over Bridges (RoBs)/ Road under Bridges (RUBs) (Nos.)4,148Expenditure on LC Elimination5,726Bridge Rehabilitation Expenditure on Bridge Rehabilitation (Rs. In Cr.)3,919Signalling Works Electronic Interlocking (Stations)837Automatic Block Signaling (Km)1,486Fog Pass Safety Devices (Nos.)As on 31.03.14: 90Rolling Stock Manufacture of LHB Coaches (Nos.)2,337	2548 383 Thick Web Switches (Nos.)Nil $21,127$ Track Machines (Nos.)As on $31.03.14$ As on $31.03.24$ $=748$ $=1,661$ Level Crossing Gate EliminationElimination of Unmanned Level Crossing GatesAs on $31.03.14$: 8948(Nos.) $31.03.14$: 8948 $31.03.24$: Nil (All eliminated by $31.01.19$)Elimination of Manned Level Crossing Gates $1,137$ $7,075$ (Nos.) $7,075$ $36,699$ Road over Bridges (RoBs)/ Road under Bridges $4,148$ $11,945$ (RUBs) (Nos.) $5,726$ $36,699$ Bridge Rehabilitation $5,726$ $36,699$ Bridge Rehabilitation 837 $2,964$ Automatic Block Signaling (Km) $1,486$ $2,497$ Fog Pass Safety Devices (Nos.)As on $31.03.14$: 90 $31.03.24$: $19,742$ Rolling StockManufacture of LHB Coaches (Nos.) $2,337$ $36,933$

Further following safety measures have also been taken over IR:

- 1. IR is installing KAVACH which is an indigenously developed Automatic Train Protection (ATP) system. Kavach is a highly technology intensive system, which requires safety certification of highest order.
- 2. Kavach aids the loco pilot in train running within specified speed limits by automatic application of brakes in case Loco Pilot fails to do so and also helps the train to run safely during inclement weather.
- 3. Implementation of Kavach involves execution of many activities, such as:
 - a. Installation of Station Kavach at each and every station.
 - b. Installation of RFID tags throughout the track length.
 - c. Installation of Telecom Towers throughout the section.

- d. Laying of optical Fibre cable along the track.
- e. Provision of Loco Kavach on each and every Locomotive running on Indian Railways.
- Kavach has so far been deployed on 1465 Route km and 144 locomotives on South Central Railway.
- 5. Presently, the progress of main items related to Kavach on Delhi– Mumbai & Delhi– Howrah corridors (approximately 3000 Route km) is as under:
 - (i) Laying of Optical Fibre Cable: 4275 Km
 - (ii) Installation of Telecom Towers: 364 Nos.
 - (iii) Provision of equipment at Stations: 285 Nos.
 - (iv) Provision of equipment in Loco: 319 Locos
 - (v) Installation of Track side equipments: 1384 RKm.
- 6. Indian Railways has also prepared Detailed Project Report (DPR) and Detailed Estimate on another 6000 RKm.
- 7. On 16.07.2024, Kavach 4.0 specification has been approved by RDSO. This version covers all the major features required for the diverse railway network. This is a significant milestone in safety for Indian Railways. Within a short period, IR has developed, tested and started deploying Automatic Train Protection System.
