GOVERNMENT OF INDIA MINISTRY OF WATER RESOURCES, RIVER DEVELOPMENT & GANGA REJUVENATION

LOK SABHA UNSTARRED QUESTION NO. 3485

ANSWERED ON 23.03.2017

SUSTAINABLE USE OF WATER

3485. SHRI C. MAHENDRAN

Will the Minister of WATER RESOURCES, RIVER DEVELOPMENT AND GANGA REJUVENATION be pleased to state:

- (a) the current status of water resources in comparison to normal year reservoir storages and groundwater levels;
- (b) whether there are growing concerns about the sustainable use of ground/surface water with respect to emerging issues of inequity of water distribution and access in the country and if so, the details thereof;
- (c) whether the rural areas are struggling with quality of water and if so, the details thereof; and
- (d) the steps taken/to be taken by the Government in this direction?

ANSWER

THE MINISTER OF STATE FOR WATER RESOURCES, RIVER DEVELOPMENT AND GANGA REJUVENATION

(DR. SANJEEV KUMAR BALYAN)

(a) Central Water Commission (CWC) monitors live storage status of 91 reservoirs of the country on weekly basis and issues weekly bulletins. The total live storage capacity of these 91 reservoirs is 157.799 BCM which is about 62% of the live storage capacity of 253.388 BCM. As per reservoir storage bulletin dated 16.03.2017, live storage available in these reservoirs is 58.03 BCM, which is 37% of total live storage capacity of these reservoirs. However, last year the live storage available in these reservoirs for the corresponding period was 47.54 BCM and the average of last 10 years live storage was 57.8 BCM. Thus, the live storage available in 91 reservoirs as per 16.03.2017 Bulletin is 122% of the live storage of corresponding period of last year and 100% of storage of average of last ten years.

As per the ground-water-level data, monitored by Central Ground Water Board (CGWB) under this Ministry, Premonsoon (April/ May, 2016) water level data when compared with the decadal average (2006-2015) indicate that 66% of the wells have registered decline in ground water level in all the States/UTs of the country.

(b) Yes, Madam. River basin being the natural hydrological unit, total water resources availability is assessed river basin wise. The average annual per capita water availability in the years 2001 and 2011 was assessed as 1820 cubic meters and 1545 cubic meters respectively which may reduce further to 1341 and 1140 in the years 2025 and 2050 respectively. In view of growing population, the per capita water availability in India is reducing progressively.

Annual per-capita water availability of less than 1700 cubic meters is considered as water stressed condition, whereas annual per-capita water availability below 1000 cubic meters is considered as a water scarcity condition. Due to temporal and spatial variability of rainfall, many regions / states receive less than average rainfall and may be considered as water stressed or water scarce.

As per the latest assessment of dynamic ground water resources of India (as on 31st March 2013) carried out jointly by Central Ground Water Board and State Ground Water Departments, the total annual replenishable ground water

Contd. P2/-

resources of the have been estimated as 447 billion cubic meter (BCM). Keeping 36 BCM for natural discharge, the net annual ground water availability for entire country is 411 BCM. The state-wise ground water resources availability, utilization and stage of development India (As on 31st March 2013) are given in **Annexure I**.

- (c) The surveys and the ground water quality studies carried out by CGWB and State Departments have shown that ground water in major parts of the country is potable. However, sporadic occurrence of contaminants like Arsenic, Fluoride, Nitrate etc. in ground water above the permissible limits prescribed by Bureau of Indian Standards (BIS) have been reported in some parts of the country including the rural areas. The names of the districts state wise which are partly affected by different contaminants in ground water are given in **Annexure II**.
- (d) Water being state subject, measures for water conservation and management are taken by respective state Governments depending on their priority and resources. In order to supplement the efforts of state governments, Central Government provides technical and financial assistance through various schemes and programmes.

Some of such interventions are as follows:

- CGWB monitors ground water quality of shallow aquifers on a regional scale, once every year during premonsoon (April/May). Ground water quality data generated during various scientific studies and ground water quality monitoring is utilized to identify the extent of ground water contamination in different parts of the country. CGWB carries out exploratory drilling to delineate contaminant free aquifer zones and successful exploratory wells are handed over to the concerned State agencies for purposeful utilization. Since in-situ treatment of contaminated aquifers due to presence of Arsenic, Fluoride, and Nitrate is difficult, remedial measures are concentrated on providing alternate sources of water supply.
 - The CGWB under the Ministry of Water Resources, RD & GR has carried out Demonstrative Rain Water Harvesting and Artificial Recharge Projects during XI Plan under the Central Sector Scheme of "Ground Water Management & Regulation" in priority areas. The projects aimed at providing technical assistance to State Governments by demonstration of rainwater harvesting & recharge technology for replicating the same in similar hydrogeological environment. During the XI Plan, 133 demonstrative recharge projects were approved for construction of artificial recharge structures in 22 States.
- A conceptual document entitled "Master Plan for Artificial Recharge to Ground Water in India" has been prepared by CGWB during the year 2013, which envisages construction of different types of Artificial Recharge and Rainwater Harvesting structures in the Country in an area of 9,41,541 square km by harnessing surplus monsoon runoff to augment ground water resources. The Master Plan has been circulated to all State Governments for implementation.
- The National Water Policy (2012) has been formulated by Ministry of Water Resources, RD & GR which inter-alia advocates conservation, promotion and protection of water and highlights the need for augmenting the availability of water through direct use of rainfall. The National Water Policy (2012) has been forwarded to all State Governments/ UTs and concerned Ministries/ Departments of Central Government for appropriate action.
- Central Government has launched the National Water Mission (NWM) with the objective of conservation of water, minimizing wastage and ensuring its more equitable distribution both across and within States through integrated water resources development and management. Goals of NWM include "Promotion of citizen and state actions for water conservation, augmentation and preservation" and "Increasing water use efficiency by 20%".

Annexure I (Annexure referred to in reply to part (b) of the Lok Sabha Unstarred Question No. 3485 to be answered on 23.03.2017 regarding "Sustainable use of Water")

	STATE-WISE GROUND WATER RESOURCES AVAILABILITY, UTILIZATION AND STAGE OF DEVELOPMENT INDIA (As on 31st March 2013)													
SI.	States /	Annual B	Ponlonishahl	o Ground	Water Resou	ırco	Natural	Net	Annual Gr	ound Wate	r Droft	Projected	Ground	(in bcm) Stage of
No.	Union Territories	Monsoon Season		Non-monsoon Season	Total	Dischar ge	Annual Ground	Irrigatio n	Domest ic and	Total	demand for	Water Availab	Ground Water	
		Rechar ge from rainfall	Recharg e from other sources	Rechar ge from rainfall	Recharge from other sources		during non- monsoo n season	Water Availabili ty		industri al uses		Domestic and Industrial uses upto 2025	ility for future irrigatio n use	Develop ment (%)
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	States													
1	Andhra Pradesh	8.97	4.25	3.21	3.97	20.39	1.91	18.48	7.29	0.81	8.10	1.64	10.21	44
2	Arunachal Pradesh	3.340	0.0003	1.092	0.001	4.433	0.443	3.990	0.002	0.007	0.01	0.020	3.967	0.23
3	Assam	20.56	1.82	9.22	0.49	32.11	3.21	28.90	4.06	0.68	4.74	0.84	24.00	16
4	Bihar	20.66	3.36	3.48	3.81	31.31	2.82	28.49	10.36	2.37	12.73	0.60	17.52	45
5	Chhattisgarh	10.11	0.76	0.87	1.06	12.80	0.90	11.90	3.76	0.64	4.40	0.76	7.38	37
6	Delhi	0.09	0.02	0.014	0.22	0.34	0.03	0.31	0.14	0.25	0.39	0.25	0.02	127
7	Goa	0.15	0.011	0.01	0.08	0.24	0.10	0.15	0.02	0.03	0.05	0.04	0.09	37
8	Gujarat	13.93	3.22	0.00	3.71	20.85	1.07	19.79	12.30	1.14	13.44	1.46	6.77	68
9	Haryana	3.62	3.10	1.03	3.60	11.36	1.06	10.30	13.32	0.60	13.92	0.56	-3.58	135
10	Himachal Pradesh	0.40	0.02	0.11	0.03	0.56	0.03	0.53	0.16	0.11	0.27	0.07	0.30	51
11	Jammu & Kashmir	1.22	2.69	0.79	0.55	5.25	0.43	4.82	0.20	0.98	1.18	1.07	3.55	24
12	Jharkhand	5.61	0.73	0.06	0.16	6.56	0.43	5.99	0.63	0.72	1.35	0.17	5.19	23
13	Karnataka	6.74	4.18	2.67	3.40	17.00	2.16	14.83	8.76	0.99	9.76	1.49	5.55	66
14	Kerala	4.51	0.04	0.59	1.13	6.27	0.60	5.66	1.18	1.45	2.63	1.55	2.93	47
15	Madhya Pradesh	28.59	1.27	0.82	5.30	35.98	1.82	34.16	17.95	1.41	19.36	2.35	13.86	57
16	Maharashtra	21.96	1.64	1.83	7.76	33.19	1.71	31.48	15.93	1.14	17.07	2.21	13.72	54
17	Manipur	0.244	0.010	0.201	0.019	0.474	0.047	0.426	0.004	0.001	0.004	0.049	0.374	1.01
18	Meghalaya	3.05	0.00	0.15	0.107	3.31	0.33	2.98	0.0080	0.0040	0.0120	0.207	2.76	0.4
19	Mizoram	0.02899	Negligible	0.01042	Negligible	0.03942	0.00394	0.03548	0	0.00104	0.00104	0.00238	0.0331	2.9
20	Nagaland	1.30	0	0.64	0	1.94	0.194	1.75	0.00	0.03	0.03	0.01	1.74	2.0
21	Odisha	11.29	2.53	1.33	2.63	17.78	1.09	16.69	4.14	0.87	5.02	1.35	11.20	30
22	Punjab	5.75	13.21	1.32	5.64	25.91	2.52	23.39	34.05	0.77	34.81	0.97	-11.63	149

	STATE	-WISE GR	OUND WAT	ER RESOL	JRCES AVAI	LABILITY, U	ITILIZATION	AND STAG	E OF DEVE	LOPMENT	INDIA (As on	31st March	2013)	
														(in bcm)
SI.	States / Union Territories	Annual Replenishable Ground Water Resou				Natural	Net		ound Wate		Projected	Ground	Stage of	
No.		Monsoon Season		Non-monsoon Season		Total	Dischar	Annual	Irrigatio	Domest	Total	demand	Water	Ground
							ge	Ground	n	ic and		for	Availab	Water
		Rechar	Recharg	Rechar	Recharge from		during non-	Water Availabili		industri al uses		Domestic and	ility for future	Develop ment (%)
		ge from	e from other	ge from	other		monsoo	ty		ai uses		Industrial	irrigatio	1110111 (70)
		rainfall	sources	rainfall	sources		n	.,				uses	n use	
		ramman	304.000	ramman	3041000		season					upto		
												2025		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
23	Rajasthan	9.06	0.69	0.27	2.49	12.51	1.26	11.26	13.79	1.92	15.71	2.32	0.90	140
24	Sikkim	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Tamil Nadu	7.12	9.87	1.52	2.15	20.65	2.07	18.59	12.98	1.38	14.36	1.53	4.08	77
26	Telangana	8.13	2.12	1.65	2.84	14.74	1.35	13.39	7.00	0.76	7.77	1.55	4.83	58
27	Tripura	1.141	0.000	0.738	0.593	2.471	0.202	2.269	0.093	0.072	0.165	0.200	1.976	7.3
28	Uttar Pradesh	41.97	11.52	4.60	18.25	76.34	4.75	71.58	48.35	4.41	52.76	6.44	19.01	74
29	Uttarakhand	1.10	0.22	0.24	0.43	2.00	0.03	1.97	0.84	0.15	0.99	0.30	0.82	50
30	West Bengal	18.71	5.26	1.51	3.85	29.33	2.77	26.56	10.84	1.00	11.84	1.53	14.19	45
	Total States	259.33	72.54	39.98	74.28	446.14	35.49	410.65	228.16	24.71	252.87	31.54	161.76	62
	Union Territories													
	Andaman &	0.00	0.04	0.0000		0.420	0.0420	0.378	0.0001	0.0035	0.0037	0.016	0.361	1
1	Nicobar	0.38	0.04	0.0002	0.00005	0.000	0.0000	0.0404					0	
2	Chandigarh	0.015	0.0004	0.005	0.001	0.022	0.0022	0.0194	0	0	0	0	0	0
3	Dadara & Nagar Haveli	0.054	0.002	0.010	0.004	0.070	0.007	0.063	0.008	0.013	0.020	0.014	0.042	32
4	Daman & Diu	0.012	0.001	0.000	0.001	0.015	0.001	0.014	0.008	0.002	0.010	0.003	0.003	70
5	Lakshdweep	0	0	0	0	0.01055	0.00704	0.00350	0.00000	0.00237	0.00237	0	0	68
6	Puducherry	0.095	0.060	0.009	0.028	0.193	0.019	0.174	0.124	0.029	0.153	0.047	0.053	88
	Total UTs	0.56	0.10	0.024	0.035	0.73	80.0	0.65	0.139	0.050	0.189	0.08	0.46	29
	Grand Total	259.89	72.65	40.01	74.31	446.87	35.56	411.30	228.30	24.76	253.06	31.62	162.22	62

Annexure II

(Annexure referred to in reply to part (c) of the Lok Sabha Unstarred Question No. 3485 to be answered on 23.03.2017 regarding "Sustainable use of Water")

States Wise Details of Affected Districts with Ground Water Contamination by different Chemical Constituents

S. No.	State/ UT	Salinity (EC above 3000 micro mhos/ cm) (EC : Electrical Conductivity)	Fluoride (above 1.5 mg/l)	Nitrate (above 45 mg/l)	Arsenic (above 0.01 mg/l)	Iron (above 1mg/l)	Heavy metals: Lead (above 0.01 mg/l) Cadmium (above 0.003 mg/l) Chromium (above 0.05 mg/l)
1	Andhra Pradesh	Prakasam, Nellore, Kadapa, Kurnool, Ananthapur,	Godavari Krishna, Guntur, Prakasam, Nellore, Chittoor Kadapa, Kurnool, Ananthapur, Sirkakulam	Srikakulam, Vizianagaram, Visa khapatnam, East- Godavari, West-Godavari Krishna, Guntur, Prakasam, Nellore, Chittoor Kadapa, Kurnool, Ananthapur,	Guntur, Kurnool, Nellore	Vishakhapatnam Krishna Guntur, Nellore, Kurnool, Chittoor, Cuddapah,	J.
2	Telangana	Adilabad, Nizamabad, Karimnagar, Warangal Khammam, Medak, Mehboob Nagar, Nalgonda,	Adilabad, Karimnagar, Khammam, Warangal, Mahabubnagar, Medak, Nalgonda, Rangareddy Nizamabad	Adilabad, Nizamabad, Karimnagar, Warangal Khammam, Hyderabad, Mahabubnagar, Medak, Nalgonda, Rangareddy,	Nalgonda,	Adilabad, Hyderabad, Karimnagar, Mahabubnagar, Medak, Nalgonda, Nizamabad, Ranga Reddy	Lead : Rangareddy, Nalgonda Cadmium: Rangareddy Chromium: Rangareddy
3	Assam		Goalpara, Kamrup, KarbiAnglong, Naugaon Golaghat, Karimganj		Sivsagar, Jorhat, Golaghat, Sonitpur, Lakhimpur, Dhemaji, Hailakandi, Karimganj, Cachar, Barpeta, Bongaigaon, Goalpara Dhubri, Nalbari, Nagaon, Morigaon, Kamrup,Darrang&Baksha	Cachar, Darrang, Dhemaji, Dhubri, Goalpara, Golaghat, Hailakandi, Jorhat, Kamrup, KarbiAnglong, Karimganj, Kokrajhar, Lakhimpur, Morigaon, Nagaon, Nalbari, Sibsagar, Sonitpur	
4	Arunachal Pradesh					Changlang , East Siang, Lohit, Papumpare	
5	Bihar		Aurangabad, Banka, Bhagalpur, Gaya, Jamui, Kaimur(Bhabua Munger, Nawada, Rohtas, Jahanabd, Lakhisarai, Sheikhpura, Nalanda	Aurangabad, Banka, Bhagalpur, Bhojpur, Darbhanga, Kaimur(Bhabua), Patna, Rohtas, Saran, Siwan	Begusarai, Bhagalpur, Bhojpur, Buxar, Darbhanga, Katihar, Khagaria, Kishanganj, Lakhisarai, Munger, Patna, Purnea, Samastipur, Saran,	Aurangabad, Begusarai, Bhojpur, Buxar, East Champaran, Gopalganj, Katihar, Khagaria, Kishanganj, Lakhiserai, Madhepura, Muzaffarpur, Nawada, Rohtas,	

S. No.	State/ UT	Salinity (EC above 3000 micro mhos/ cm) (EC : Electrical Conductivity)	Fluoride (above 1.5 mg/l)	Nitrate (above 45 mg/l)	Arsenic (above 0.01 mg/l)	Iron (above 1mg/l)	Heavy metals: Lead (above 0.01 mg/l) Cadmium (above 0.003 mg/l) Chromium (above 0.05 mg/l)
					Vaishali E.Champaran, Gopalganj, Lohardaga, Madhepura, Muzaffarpur Saharsa, Siwan, W Champaran	Saharsa, Samastipur, Siwan, Supaul, West Champaran	
6	Chhattisgarh		Bastar, Balod , Balrampur, Bemetra, Bijapur , Durg, Kanker, Kondagaon, Korba, Koriya, Raigarh, Surajpur, Surguja	Bastar, Bilaspur, Dantewada, Dhamtari, Jashpur, Kanker, Kawardha, Korba, Mahasamund, Raigarh, Raipur, Rajnandgaon	Rajnandgaon	Bastar, Dantewada, Kanker, Koriya,	Lead: Korba Cadmium: Korba Chromium:Korba
7	Delhi	New Delhi, North , South, East West, North West, South West	East Delhi, New Delhi, North West Delhi, South Delhi, South West Delhi North Delhi, West Delhi	East Delhi, Central Delhi, New Delhi, North Delhi, North West Delhi, South Delhi, South West Delhi, West Delhi	East, North east		Lead : Along Najafgarh drain in North, West and South-west districts Cadmium : Southwest Chromium : Northwest, South, New Delhi, East
8	Goa					North Goa , South Goa	
9	Gujarat	Ahmedabad, Amreli, Anand, Banaskantha, Bharuch, Bhavnagar, Dahod, Jamnagar Junagadh, Kachchh, Kheda, Mahesana, Navsari, Patan, Porbandar, Rajkot, Sabarkantha, Surat, Surendranagar, Vadodara, Narmada	Ahmedabad, Amreli, Anand, Banaskantha, Bharuch, Bhavnagar, Dahod, Gandhinagar, Jamnagar, Junagadh, Kachchh, Mehesana, Panchmahals, Patan, Porbandar, Rajkot, Sabarkantha, Surendranagar, Vadodara	Ahmedabad, Amreli, Anand, Banaskantha, Bharuch, Bhavnagar, Dahod, Jamnagar, Junagadh, Kachchh, Kheda, Mehesana, Narmada, Navsari, Panchmahals, Patan, Porbandar, Rajkot, Sabarkantha, Surat, Surendranagar, Vadodara		Ahmedabad, Banaskantha, Bhavnagar Kachchh, Mehesana,Narmada,	
10	Haryana	Ambala, Bhiwani, Faridabad, Gurgaon, Hissar, Jhajjar, Jind, Kaithal, Karnal, Mohendragarh, Panipat, Rewari, Rohtak, Sirsa, Sonepa	Ambali, Bhiwani, Fatehabad, Faridabad, Gurgaon, Hissar, Jhajjai Jind, Kaithal, Karnal, Kurukshetra, Mahendergarh,	Ambala, Bhiwani, Faridabad, Fatehabad, Gurgaon, Hissar, Jhajjar, Jind, Kaithal, Karnal,	Ambala, Bhiwani, Faridabad, Fatehabad, Hissar, Jhajjar, Jind, Karnal, Panipat, Rohtak, Sirsa, Sonepat,	Ambala, Bhiwani, Faridabad, Fatehabad, Gurgaon, Hissar, Jhajjar, Jind, Kaithal, Karnal, Kurukshetra, Mahendargarh, Panipat,	Lead: Ambala, Bhiwani, Faridabad, Fatehabad, Gurgaon, Hissar, Jhajjar, Jind, Kaithal, Karnal, Mahendragarh, Panchkula, Panipat,

S. No.	State/ UT	Salinity (EC above 3000 micro mhos/ cm) (EC : Electrical Conductivity)	Fluoride (above 1.5 mg/l)	Nitrate (above 45 mg/l)	Arsenic (above 0.01 mg/l)	Iron (above 1mg/l)	Heavy metals: Lead (above 0.01 mg/l) Cadmium (above 0.003 mg/l) Chromium (above 0.05 mg/l)
			Panchkula, Palwal,Panipat, Rewari, Rohtak, Sirsa, Sonepat, Yamuna Nagar	Kurukshetra, Mahendargarh, Panchkula, Panipat, Rewari, Rohtak, Sirsa, Sonipat, Yamuna Nagar	Yamunanagar, Mahendergarh, Palwal	Rohtak, Sirsa, Sonipat, Yamuna Nagar	Rewari, Rohtak, Sirsa, Sonepat. Cadmium: Bhiwani, Gurgaon, Jhajjar, Jind, Kaithal, Rewari, Rohtak. Chromium: Fatehabad
11	Himachal Pradesh			Una, Solan, Hamirpur, Kangra, Mandi, Kullu	Kangra		
12	Jammu & Kashmir		Jammu, Kathua	Jammu, Kathua, Anantnag, Kupwara	Jammu, Kathua, Rajouri	Baramulla, Budgam, Kathua, Kupwara, Pulwama, Srinagar	Lead: Jammu (Gangyal) Bari Brahma, Kathua Cadmium: Kathua
13	Jharkhand		Bokaro, Dhanbad, Garhwa, Giridih, Godda, Gumla, Koderma, Pakur Palamu, Ranchi, , Sahebganj, Khunti	Chatra, Garhwa, Godda, Gumla, Lohardaga, Pakur, Palamu, PaschimiSinghbhum, PurbiSinghbhum, Ranchi Sahibganj	Sahebganj	Chatra, Deoghar, East Singhbhum, Giridih, Ranchi, West Singhbhum	Lead : Jamshedpur
14	Karnataka	Bagalkote, Bangalore-Rural, Bangalore-Urban, Belgaum, Bellary, Bijapur, Chamarajnagara, Chikballapur Chikmagalur, Chitradurga, Dakshina Kannada, Davanagere, Dharwad, Gadag Gulburga, Hassan, Haveri, Kodagu/ Coorg, Kolar, Koppal, Mandya, Mysore, Raichur, Ramanagara, Shimoga, Tumkur, Udupi, Uttara Kannada, Yadgir	Bagalkot, Bangalore(Rural), Bangalore(Urban),Belga um, Bellary, Bidar, Bijapur, Chikaballapur Chamarajanagar, Chikmagalur, Chitradurga, Davanagere, Dharwad, Dakshina Kannada, Gadag, Gulburga, Hassan, Haveri, Kolar, Koppal, Mandya, Mysore, Raichur, Ramnagara, Shimoga, Tumkur, Yadgir, Uttara Kannada, Udupi	Bagalkot, , Bangalore, Belgaum, Bellary, Bidar, Bijapur, Chikmagalur, Chitradurga, Davanagere, Dharwad, Gadag, Gulburga, Hassan, Haveri, Kodagu, Kolar, Koppal, Mandya, Raichur. Shimoga, Udupi Uttar Kannada		Bagalkot, Bangalore, Belgaum, Bellary, Bidar, Bijapur, Chikmagalur, Chitradurga, Dakshina Kannada, Davanagere, Gulburga, Hassan, Haveri, Kodagu, Kolar, Koppal, Mysore, Raichur, Shimoga, Tumkur, Udupi, Uttar Kannada	
15	Kerala	Trivandrum, Kollam, Kottayam, Ernakulam	Palakkad, Alappuzha, Idukki, Ernakulum, Thiruvananthpuram	Alappuzha, Idukki, Kollam, Kottayam,		Alappuzha, Ernakulam, Idukki, Kannur, Kasaragod, Kollam, Kottayam, Kozhikode,	Lead: Ernakulam , Kollan Chromium: Kollam

S. No.	State/ UT	Salinity (EC above 3000 micro mhos/ cm) (EC : Electrical Conductivity)	Fluoride (above 1.5 mg/l)	Nitrate (above 45 mg/l)	Arsenic (above 0.01 mg/l)	Iron (above 1mg/l)	Heavy metals: Lead (above 0.01 mg/l) Cadmium (above 0.003 mg/l) Chromium (above 0.05 mg/l)
				Kozhikode, Malappuram, Palakkad, Pathanamthitta Thiruvananthapuram, Thrissur, Wayanad		Malappuram, Palakkad, Pathanamthitta, Quilon, Thiruvananthapuram, Thrissur, Wayanad	
16	Madhya Pradesh	Balaghat, Bhind, Chhatarpur, Gwalior, Indore, Jhabua, Khargone, Morena, Neemuch Ratlam, Rewa, Satna, Sehore, Sheopur, Shivpuri, Ujjain	Alirajpur, Balaghat, Barwani, Betul, Bhind, Bhopal, Chhatarpur, Chhindwara, Datia, Dewas, Dhar, Dindori, Guna, Gwalior, Harda, Jabalpur, Jhabua, Khargon, Mandla, Mandsaur, Morena, Narsinhpur, Neemuch, Panna, Raisen, Rajgarh Ratlam, Sagar, Satna, Sehore, Seoni, Shahdol Shajapur, Sheopur, Sidhi, Shivpuri, Singraul Uajjain, Vidisha	Alirajpur, Anuppur, Ashok Nagar, Balaghat, Barwan Betul, Bhind, Bhopal, Burhanpur, Chhatarpur, Chhindwara, Damoh, Datia, Dewas, Dhar, , Dindori,Guna, Gwalior, Harda, Hoshangabad, Indore, Jabalpur, Jhabua Khandwa, Khargon, Katn Mandla, Mandsaur, Morena, Narsimhapur, Neemuch, Panna, Raiser Rajgarh, Ratlam, Rewa, Sagar, Satna, Sehore, Seoni, Shahdol, Shajapur Sheopur, Shivpuri, Sidhi, Singrauli, Tikamgarh, Ujjain, Umaria, Vidisha	Betual,Burhanpur, Chhindwara, Dhar, Khandwa, Mandsaur, Neemuch, Umaria	Balaghat,Barwani, Betul, Bhind, Bhopal, Chhatarpur, Chhindwara, Damoh, Datia, Dewas, Dhar, Dindori, Guna, Gwalior, Hoshangabad, Indore, Jabalpur, Jhabua, Khandwa, Katni, Mandla, Mandsaur, Narsinghpur, Neemuch, Panna, Raiser Rajgarh,Ratlam, Rewa, Sagar, Satna, Sehore, Seoni, Shahdol, Shajapur,Shivpuri, Sidhi,Tikamgarh, Ujjain, Umaria, Vidisha, East Nimar	Lead: Balaghat, Barwani,Damoh, Datia, Dewas, Dhar, Dindori, Guna, Gwalior, Raisen, Rajgarh, Satna, Sehore, Shajapur, Shivpuri, Vidisha
17	Maharashtra	Ahmednagar, Akola, Amravati, Aurangabad, Beed, Bhandara,Buldhana, Chandrapur,Dhule,Jalgaon, Jalna, Nagpur, Nasik, Pune,Raigard, Sangli,Satara, Solapur, Thane,Yavatmal	Ahmednagar, Beed, Chandrapur, Bhandara, Dhule, Gadchiroli, Gondia, Jalna, Nagpur, Nanded, Ratnagiri, Sangli, Satara, Sindhudurg, Solapur, Wardha, Yavatmal	Ahmednagar, Akola, Amravati, Auragabad, Beed, Bhandara, Buldana, Chandrapur, Dhule, Gadchiroli, Gondia, Hingoli, Jalgaon, Jalna, Kolhapur, Latur, Mumbai, Nagpur, Nanded, Nandurbar, Nasik, Osmanabad, Parbhani, Pune, Sangli, Satara, Solapur, Wardha, Washim, Yavatmal		Ahmednagar, Amravati, Beed, Buldana, Chandrapur, Dhule, Gadchiroli, Jalna, Kohlapur, Latur, Nandurbar, Nashik, Osmanabad, Parbhani, Ratnagiri, Satara, Thane, Wardha, Washim, Yavatmal	Lead: Ahmed Nagar, Akola, Aurangabad, Beed Buldana, Dhule, Gadchiroli, Jalna, Kolhapur, Latur, Nagpur, Nanded, Osamabad, Parbhani, Pune, Sangli, Wardha, Washim, Yavatmal

S. No.	State/ UT	Salinity (EC above 3000 micro mhos/ cm) (EC : Electrical Conductivity)	Fluoride (above 1.5 mg/l)	Nitrate (above 45 mg/l)	Arsenic (above 0.01 mg/l)	Iron (above 1mg/l)	Heavy metals: Lead (above 0.01 mg/l) Cadmium (above 0.003 mg/l) Chromium (above 0.05 mg/l)
18	Manipur				Bishnupur, Thoubal	Bishnupur, Thoubal	. ,
19	Meghalaya					East Garo Hills, East Khasi Hills, Jaintia Hills	
20	Nagaland					Dimapur	
21	Odisha	Balasore, Bhadrak, Ganjam, Jagatsingpur, Jajpur, Kendrapara, Puri	Angul, Balasore, Bhadrak,Bargarh Bolangir, Boudh, Cuttack, Deogarh Dhenkanal, Jajpur, Kandhamal ,Keonjhar, Khurda, Mayurbhanj, Nayagarh, Nawapara, Ganjam, Jagatsinghpur, Kalahandi, Koraput, Pur Rayagada, Sambalpur, Sonepur, Sundargarh	Angul, Balasore, Bargarh Bhadrak, Bolangir, Baudh Cuttack, Deogarh, Dhenkanal, Gajapati, Ganjam, J.Singhpur, Jajpur, Jharsuguda, Kalahandi, Kendrapara, Keonjhar, Khurda, Koraput, Malkangiri, Mayurbhanj, Nawapada, Nayagarh, Phulbani, Puri Sambalpur, Sundergarh, Sonpur		Balasore, Bargarh, Bhadrak, Cuttack, Deogarh, J.Singhpur, Jajpur, Jharsuguda, Kalahandi, Kandmahal, Keonjhar, Kendrapara,Khurda, Koraput, Mayurbhanj, Nayagarh, Puri, Rayagada, Sambalpur, Sundergarh, Sonpur	Chromium (Hexavalent) - Sukinda valley in Sukinda block of Jajpur District
22	Punjab	Bhatinda, Faridkot, Ferozpur, Gurudaspur, Mansa, Moga, Muktsar Patiala, Sangrur	Amritsar, Barnala, Bhatinda, Fazilka, Faridkot, Fatehgarh Sahib, Firozpur, Gurdaspur, Jalandhar, Ludhiana, Mansa, Moga Muktsar, Pathankot, Patiala, Ropar, Sangrur, SAS Nagar (Mohali), Tarn-Taran	Amritsar, Barnala, Bhatinda, Faridkot, Fatehgarh Sahib, Firozpur, Gurdaspur, Hoshiarpur, Jalandhar, Kapurthala, Ludhiana, Mansa, Moga, Muktsar, NawanShahr, Patiala, Ropar, Rupnagar, Sangrur, Tarn-Taran	Mansa, Amritsar, Gurdaspur, Hoshiarpur Kapurthala, Ropar, Faridkot, Nawashahar, Sangrur, Taran Taran	Bhathinda, Faridkot, Fatehgarh Sahib, Firozpur, Gurdaspur, Hoshiarpur, Mansa, Rupnagar, Sangrur	Lead: Amritsar, Bathinda Ferozepur, Gurdaspur, Muktsar, Ropar Cadmium: Fatehgarh Sahib, Ludhiana, Nawansahar, Patiala, Ropar, Sangrur, Sasnagar, Tarantaran Chromium: Amritsar, Bathinda, Gurdaspur, Kapurthala, Mansa, Ropar, Barnala, Sangrur Sasnagar, Tarantaran
23	Rajasthan	Ajmer, Alwar, Baran, Barmer, Bharatpur, Bhilwara, Bikaner, Bundi, Chittorgarh, Churu, Dausa, Dhaulpur, Ganganagar Hanumangarh, Jaipur, Jaisalmer, Jalore, Jhalawar, Jhunjhunu, Jodhpur, Karauli, Kota, Nagaur, Pali, Rajasamand, Sawai-Madhopur	Ajmer, Alwar, Banswara Barmer, Bharatpur, Baran, Bhilwara, Bikaner, Bundi, Chittaurgarh, Churu, Dausa, Dhaulpur, Dungarpur, Ganganagai Hanumangarh, Jaipur, Jaisalmer, Jalore,	Ajmer, Alwar, Banswara, Baran, Barmer, Bundi,Bharatpur, Bhilwara, Bikaner, Chittaurgarh, Churu, Dausa, Dhaulpur, Dungarpur, Ganganagar,		Ajmer, Alwar, Banswara, Baran, Barmer, Bharatpur, Bhilwara, Bikaner, Bundi, Chittaurgarh, Churu, Dausa, Dhaulpur, Dungarpur, Ganganagar, Hanumangarh, Jaipur, Jaisalmer, Jalore,	Lead: Jhunjhunu Dist (Khetri Copper Deposit), Pali, Jaipur (Sambhar Lake, Sanganer)

S. No.	State/ UT	Salinity (EC above 3000 micro mhos/ cm) (EC : Electrical Conductivity)	Fluoride (above 1.5 mg/l)	Nitrate (above 45 mg/l)	Arsenic (above 0.01 mg/l)	Iron (above 1mg/l)	Heavy metals: Lead (above 0.01 mg/l) Cadmium (above 0.003 mg/l) Chromium (above 0.05 mg/l)
		Sikar, Sirohi, Tonk, Udaipur	Jhalawar Jhunjhunu, Jodhpur, Karauli, Kota, Nagaur, Pali, Pratapgarh, Rajsamand Sirohi, Sikar, Sawai Madhopur, Tonk, Udaipur	Hanumangarh, Jaipur, Jaisalmer, Jalore, Jhalawar, Jhunjhunu, Jodhpur, Karauli, Kota, Nagaur, Pali, Partapgarh, Rajasamand, Sirohi, Sikar, SwaiMadhopur, Tonk, Udaipur		Jhalawar, Jhunjhunu, Jodhpur, Karauli, Kota, Nagaur, Pali, Pratapgarh, Rajsamand, Sikar, SawaiMadhopur, Sirohi, Tonk, Udaipur	
24	Tamil Nadu	Chennai, Coimbatore, Cuddalore, Dharampuri, Dindigul, Kancheepuram, Karur, Nagapattinam, Namakkal, Perambalur, Pudukkottai, Ramnathapuram, Salem, Sivaganga, Thanjavur, Theni, Thiruvallur, Tirunelveli, Trichchirappalli, Tuticorin, Vellore, Villupuram, Virudhunagar,	Coimbatore, Dharmapuri, Dindigul, Erode, Karur, Kancheepuram, Krishnagiri, Namakkal, Madurai, Puddukotai, Ramanathanpuram, Salem, Sivagangai, Theni, Thiruvannamalai, Tiruchirapally, Thirunelveli, Tirupur Vellore,	Chennai, Coimbatore, Cuddalore, Dharmapuri, Dindigul, Erode, Kancheepuram, Kanyakumari, Karur, Madurai, Namakkal, Nilgiris, Perambalor, Puddukotai, Ramanathanpuram, Salem, Sivagangai, Then Thiruvannamalai, Thanjavur, Tirunelveli, Thiruvallur, Trichy, Tuticorin, Vellore, Villupuram, Virudhunagai	Ariyalur Cuddalore, Nagapattinam, Ramnathapuram, Tiruvallur, Tirunelveli, Thiruvarur, Trichchirappalli, Tuticorin	Namakkal, Salem	Lead : Dindigul, Tiruvallur, Kancheepuram Cadmium : Tiruvallur Chromium: Cuddalore, Dindigul, Erode, Kanchipuram, Tiruvallur
25	Tripura					Dhalai, North Tripura, South Tripura, West Tripura,	
26	Uttar Pradesh	Agra, Aligarh, Firozabad, Hamirpur, Kashganj,Kanpur Nagar, Mathura, Rae Bareli,Unnao	Agra, Aligarh, Allahabad, Auraiya, Banda, Bulandshahar, Etah, Etawah,, Farrukhabad, Fatehpur, Firozabad, G B Nagar, Ghaziabad, Hathras, Jaunpur, Kannauj, Kanpur Nagar Kasganj (Kashiram	Agra, Aligarh, Allahabad, Ambedkar Nagar, Auraiya, Azamgarh, Badaun, Baghpat, Balrampur, Banda, Barabanki, Bareilly, Basti Bijnor, Bulandsahr, Chitrakoot, Etah, Fatehpur, Firozabad, GB Nagar, Ghaziabad,	Balrampur, Bareilly, Basti, Bijnor, Chandauli, Ghazipur, Gonda, Gorakhpur, LakhimpurKheri, Meerut, Mirzapur, Muradabad, Rai	Azamgarh, Ballia, Balrampur, Etawah, Fatehpur, Gazipur, Gonda, Hardoi, KanpurDehat, Kanpur Nagar, Lakhimpur, Lalitpur, Mau, Siddartnagar, Unnao	Lead: Muzzafar Nagar, Mathura, Moradabad, Allahabad, Bhadohi, Ghaziabad, Jaunpur, Kanpur, Raebareli, Sonbhadra Cadmium: Varanasi city, Unnao Chromium: Kashi Vidyapeeth, Varanasi,

S. No.	State/ UT	Salinity (EC above 3000 micro mhos/ cm) (EC : Electrical Conductivity)	Fluoride (above 1.5 mg/l)	Nitrate (above 45 mg/l)	Arsenic (above 0.01 mg/l)	Iron (above 1mg/I)	Heavy metals: Lead (above 0.01 mg/l) Cadmium (above 0.003 mg/l) Chromium (above 0.05 mg/l)
			Nagar), Lalitpur, Mahoba, Mainpuri, Mathura, Maunath Bhanjan, Pratapgarh, Rai Bareli, Shajahanpur Sonbhadra, Sultanpur, Varanasi and Unnao	Ghazipur, Hamirpur, Hardoi, Hathras, Jaunpur Jhansi, Kannauj, Kanpur Dehat, Lakhimpur, Mahoba, Mathura, Meerut, Mau, Moradabad Muzaffarnagar, Mirzapur, Raebarelli, SantRavidas Nagar, Shajahanpur, Sitapur, Sonbhadra, Sultanpur, Shravasti, Siddarth Nagar, Unnao	Unnao, Azamgarh,Bahraich, Badaun, Deoria, Jhansi, Kausambi, Kushinagar, Pilibhit,		Kanpur, Unnao
27	Uttarakhand			Dehradun, Haridwar, Udhamsinghnagar			
28	West Bengal	Howrah, N 24 Parganas, PurbaMedinipore, S 24 Parganas	Bankura, Birbhum, Dakshindinajpur, Malda, Purulia, Uttardinajpur, South 24 Praganas	Bankura, Bardhaman	Bardhaman, Hooghly, Howrah, Malda, Murshidabad, Nadia, N-24 Parganas, S- 24 Parganas, Kochbihar	Bankura, Bardhaman, Birbhum, Dakhindinajpur, E. Midnapur, Howrah, Hugli, Jalpaiguri, Kolkatta Murshidabad, N-24 Parganas, Nadia, S-24 Parganas, Uttardinajpur, West Midnapur	Lead: Malda, Murshidabad, Nadia, N-2 Pargana, S-24 Pragana, Kolkata Cadmium: N-24 Praganas, S-24 Prganas Chromium: N-24 Praganas, Murshidabad
29	Andaman& Nicobar					Andaman	
30	Daman & Diu				Diu		
	Total	212 districts in 15 states	335 districts in 20 states	387 districts in 21 states	153 districts in 21 states & UTs	302 districts in 25 states and 1 UT	Pb in 92 districts in 14 states Cd in 24 districts in9 states Cr in 29 districts in 10 states