

GOVERNMENT OF INDIA
MINISTRY OF DRINKING WATER & SANITATION
LOK SABHA
UNSTARRED QUESTION NO.4577
TO BE ANSWERED ON 22.03.2018

Hand Pumps

4577. SHRI DHANANJAYMAHADIK:
DR. HEENAVIJAYKUMAR GAVIT:
SHRI P.R. SUNDARAM:
SHRIMATI SUPRIYASULE:
SHRI MOHITE PATILVIJAYSINSHANKARRAO:
SHRI SATAV RAJEEV:
DR. J. JAYAVARDHAN:

Will the Minister of DRINKING WATER AND SANITATION be pleased to state:

- (a) whether a large number of handpumps installed through public fund to provide potable water in rural area are in a damaged and non-functional condition, if so, the details thereof and the reasons therefor;
- (b) whether the Government proposes to formulate any scheme for providing assistance to repair the non-functional hand-pumps and to install new hand-pumps in rural areas and if so, the details thereof;
- (c) whether the Government has fixed any time frame for this purpose and if so, the details thereof;
- (d) whether States have been encouraged to go for piped water schemes based on surface water sources and to avoid installation of hand-pumps; and
- (e) if so, the response and the action taken by the State Governments thereon?

ANSWER
MINISTER OF STATE FOR DRINKING WATER AND SANITATION
(SHRI S.S. AHLUWALIA)

(a) As per data entered by the States on the Integrated Management Information System (IMIS) of the Ministry, there are 2,59,646 non-functional handpumps in the States. Specific reasons for non-functionality of hand pumps is not maintained by the Ministry.

(b) to (c) Repair of non-functional handpumps can be carried out by the State Governments from their own resources / funds arranged by Panchayati Raj Institutions (PRI) as the subject matter is a state subject. However, under National Rural Drinking Water Programme (NRDWP), a centrally sponsored scheme, hand pump or its repair is allowed only under 2% funds earmarked for Japanese Encephalitis (JE) / Acute Encephalitis Syndrome (AES) affected districts.

(d) Yes Sir.

(e) The responses of the State Governments are positive as this is only a long term solution. They are moving towards this.