

GOVERNMENT OF INDIA
MINISTRY OF WOMEN AND CHILD DEVELOPMENT

LOK SABHA
UN-STARRED QUESTION NO. 3407
TO BE ANSWERED ON 05.08.2022

“STUDY ON IMPACT OF POSHAN ABHIYAAN”

3407 SHRI B.N. BACHE GOWDA:

Will the Minister of WOMEN AND CHILD DEVELOPMENT be pleased to state:

- (a) whether the Government has conducted a detailed State-wise study of the performance/impact of the Poshan Abhiyaan and if so, the details thereof;
- (b) the details regarding achieving the five objectives under Poshan Abhiyaan in Karnataka and other States;
- (c) the rates of stunting, under nutrition, anaemia and low birth weight among infants, children, adolescent girls and women in the above mentioned States, district-wise over the period of the Poshan Abhiyaan;
- (d) the details of funds released and utilized by both Union Government and State Governments thereon; and
- (e) the number of beneficiaries of the said scheme State/UT-wise including Karnataka?

ANSWER

MINISTER OF WOMEN AND CHILD DEVELOPMENT
(SHRIMATI SMRITI ZUBIN IRANI)

(a): A sectoral evaluation of POSHAN Abhiyaan, among other Centrally Sponsored Schemes, was conducted by Development Monitoring & Evaluation Office (DMEO) under NITI Aayog for impact evaluation of POSHAN Abhiyaan. The performances of Poshan Abhiyan was found Satisfactory in the categories of Relevance, Sustainability and Equity.

(b) and (c): Poshan Abhiyan seeks to achieve improvement in the nutritional status of Children in the age-group 0-6 years, Adolescent Girls and Pregnant Women and Lactating Mothers in a time bound manner by adopting a synergised and result-oriented approach. A novel feature of POSHAN Abhiyaan has been its focus on social and behavioural change communications thus paving the way for a mass movement to promote transformative change, referred to as Jan Andolan. The five key components critical for health and well-being or ‘Poshan kePaanch Sutra’ communicated under the Abhiyan, focuses on the importance of the first 1,000 days of a child, referred to as the “window of opportunity”, importance of diarrhoea management, locally-available nutritious food, sanitation and hygiene and anaemia prevention.

The estimation of prevalence of stunting, under nutrition and anemia in children under 5 years of age and women are obtained under National Family Health Survey (NFHS) conducted by the Ministry of Health & Family Welfare. The State/UT and District wise prevalence of stunting, wasting, underweight and anemia among children under five years of age, along with anemia among women aged 15-49 years as per National Family Health Survey 5 (NFHS 5) is at **Annexure I** and **Annexure II** respectively, which includes the State and districts of Karnataka.

(d): The details of funds released and funds utilized by the States/UTs under POSHAN Abhiyaan from FY 2017-18 to FY 2021-22 is tabulated below:

Amount in ₹lakhs	
Total Central Funds released till 31.03.2022	Total Central Funds utilised as on 31.03.2022
540295.40	366534.03

(e) The State/UT wise beneficiaries under POSHAN Abhiyaan as per ICDS RRS for quarter ending 31st March, 2022 is at **Annexure III** which includes the state of Karnataka.

Annexure I

State/UT wise prevalence of stunting, wasting, underweight and anaemia among children under five years of age and anaemia among women aged 15-49 years as per NFHS 5 survey (2019-21)

State/UT	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl)(%)	All women age 15-49 years who are anaemic (%)
Andaman & Nicobar Islands	22.5	16	23.7	40	57.5
Andhra Pradesh	31.2	16.1	29.6	63.2	58.8
Arunachal Pradesh	28	13.1	15.4	56.6	40.3
Assam	35.3	21.7	32.8	68.4	65.9
Bihar	42.9	22.9	41	69.4	63.5
Chandigarh	25.3	8.4	20.6	54.6	60.3
Chhattisgarh	34.6	18.9	31.3	67.2	60.8
Dadra & Nagar Haveli and Daman & Diu	39.4	21.6	38.7	75.8	62.5
Delhi	30.9	11.2	21.8	69.2	49.9
Goa	25.8	19.1	24	53.2	39
Gujarat	39	25.1	39.7	79.7	65
Haryana	27.5	11.5	21.5	70.4	60.4
Himachal Pradesh	30.8	17.4	25.5	55.4	53
Jammu & Kashmir	26.9	19	21	72.7	65.9
Jharkhand	39.6	22.4	39.4	67.5	65.3
Karnataka	35.4	19.5	32.9	65.5	47.8
Kerala	23.4	15.8	19.7	39.4	36.3
Ladakh	30.5	17.5	20.4	92.5	92.8
Lakshadweep	32	17.4	25.8	43.1	25.8
Madhya Pradesh	35.7	19	33	72.7	54.7
Maharashtra	35.2	25.6	36.1	68.9	54.2
Manipur	23.4	9.9	13.3	42.8	29.4
Meghalaya	46.5	12.1	26.6	45.1	53.8
Mizoram	28.9	9.8	12.7	46.4	34.8
Nagaland	32.7	19.1	26.9	42.7	28.9
Odisha	31	18.1	29.7	64.2	64.3
Puducherry	20	12.4	15.3	64	55.1
Punjab	24.5	10.6	16.9	71.1	58.7
Rajasthan	31.8	16.8	27.6	71.5	54.4
Sikkim	22.3	13.7	13.1	56.4	42.1
Tamil Nadu	25	14.6	22	57.4	53.4
Telangana	33.1	21.7	31.8	70	57.6
Tripura	32.3	18.2	25.6	64.3	67.2
Uttar Pradesh	39.7	17.3	32.1	66.4	50.4
Uttarakhand	27	13.2	21	58.8	42.6
West Bengal	33.8	20.3	32.2	69	71.4

Annexure II

District wise prevalence of stunting, wasting, underweight and anaemia among children under five years of age and anaemia among Women aged 15-49 years as per NFHS 5 survey (2019-21)

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Andaman & Nicobar Island	North & Middle Andaman	27	27	42.8	30.4	62.1
Andaman & Nicobar Island	Nicobar	21.6	15.7	24.6	37.7	38.3
Andaman & Nicobar Island	South Andaman	21.1	12.6	17.4	43.4	57.7
Andhra Pradesh	Kurnool	50.5	16.7	46.3	70.8	58.6
Andhra Pradesh	Anantapur	36	19.3	40.6	55.8	50.5
Andhra Pradesh	Visakhapatnam	31	21.5	33.5	72.6	58
Andhra Pradesh	Vizianagaram	36.4	19.2	32.2	66.7	64
Andhra Pradesh	Chittoor	27.1	14.8	27.9	54.9	51.8
Andhra Pradesh	Sri PottiSriramulu Nellore	29.2	17.2	27.8	67.5	59.4
Andhra Pradesh	Guntur	23.8	17.8	26.9	59.3	59.5
Andhra Pradesh	Y.S.R.	34.4	14.1	26.7	60.6	56.1
Andhra Pradesh	Prakasam	22.6	8.7	24.7	62.6	60.4
Andhra Pradesh	West Godavari	31.4	11.7	22.5	62.3	63
Andhra Pradesh	East Godavari	23.1	14.3	22.4	66.8	63
Andhra Pradesh	Srikakulam	19.7	19.5	21.4	59.6	62.6
Andhra Pradesh	Krishna	29.8	14.3	21.1	65.7	60.3
Arunachal Pradesh	Changlang	26.3	16.3	25	65.3	57.2
Arunachal Pradesh	Upper Subansiri	36.8	12.2	19.2	60.4	36.7
Arunachal Pradesh	Namsai	28.7	12.4	17.7	59.2	58.6
Arunachal Pradesh	West Siang	24.5	15.1	16.2	45.6	30.5
Arunachal Pradesh	Dibang Valley	16.9	18.1	16	88.6	62.9
Arunachal Pradesh	Anjaw	23.6	14.3	16	57.1	35.9
Arunachal Pradesh	Tirap	38.6	13.8	16	48.4	32
Arunachal Pradesh	Papum Pare	29.7	9	15.6	53.4	38.4
Arunachal Pradesh	KraDaadi	28.8	9.4	14.5	62	22.6
Arunachal Pradesh	East Kameng	35.7	15.8	14.2	51.7	26.2
Arunachal Pradesh	KurungKumey	29.2	15.1	13.9	62.4	34.8

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Arunachal Pradesh	Longding	15.8	20.6	13.8	38.4	34.1
Arunachal Pradesh	West Kameng	24.2	23.2	13.4	66.6	37.4
Arunachal Pradesh	Lohit	24.5	12.7	12.9	52.5	47.2
Arunachal Pradesh	Upper Siang	30.4	12.5	12	51	29.2
Arunachal Pradesh	East Siang	24.6	8.6	10.3	51.5	35.2
Arunachal Pradesh	Lower Dibang Valley	14.3	7.6	9.7	51.5	34.6
Arunachal Pradesh	Tawang	30.4	7.1	9	89.6	59.1
Arunachal Pradesh	Siang	21.3	12.1	8.8	24.9	23.9
Arunachal Pradesh	Lower Subansiri	30.7	11.5	8.1	52.4	40.5
Assam	Karimganj	29.1	48	52.9	64.1	52
Assam	Hailakandi	42.9	22.2	42.4	59.5	61.4
Assam	Biswanath	42.7	27.1	41	79.8	64.4
Assam	Chirang	42.7	19.5	39.7	70.4	65.2
Assam	Cachar	28.7	30.7	38.2	61.8	57.4
Assam	Dhubri	48.5	21.5	37.8	73.1	63.2
Assam	Goalpara	38.9	24.3	35.4	60.7	64.9
Assam	Bongaigaon	46.2	20.2	35.3	77.2	70.6
Assam	Kokrajhar	34.6	20.5	35.2	74.7	59.5
Assam	Charaideo	39	23.5	34.8	69.7	72.3
Assam	Lakhimpur	38.5	18.2	34.4	69.3	65.4
Assam	Baksa	41.2	17	34	78.6	73.6
Assam	Jorhat	38.7	15.5	33.2	74.1	71.8
Assam	Darrang	42	27	33.1	66.8	70.4
Assam	Udalguri	33.8	21.3	32.5	77.6	81.5
Assam	Nagaon	38.9	19.4	32.4	68.6	61
Assam	Tinsukia	32.8	21.5	32.2	66.4	72.8
Assam	Dibrugarh	27.3	20.6	32	66.4	70.8
Assam	West KarbiAnglong	40.9	23.2	31.1	79	57.9
Assam	Morigaon	43.2	16.1	30.5	53.3	64.2
Assam	Hojai	39.3	12.7	28.4	56.8	56.3
Assam	KarbiAnglong	31.6	17.2	28.2	67.5	59
Assam	South SalmaraMancachar	38.9	18.2	27.9	69.6	57.1
Assam	Nalbari	27.5	15.4	26.7	71	66.4
Assam	Barpeta	29.8	19.5	26.2	63.5	64.8
Assam	Sivasagar	26.1	21.1	25.9	67.5	67.6
Assam	Dhemaji	37.2	18.3	25.7	73.1	62.9

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Assam	Golaghat	26.3	19.2	25.5	75.1	77.2
Assam	Kamrup Metropolitan	25.4	18.2	25	80.4	74.6
Assam	Majuli	35.4	14.1	22.2	73	67.8
Assam	Sonitpur	36.7	13.1	21.9	69.4	63.6
Assam	Dima Hasao	30.6	23.6	21.7	73.1	60.5
Assam	Kamrup	22.6	14.8	19.7	72.9	71.5
Bihar	Arwal	45.6	36.8	52.9	65.8	66.9
Bihar	Jehanabad	41.3	36.6	51.7	61.9	68.1
Bihar	Aurangabad	41.2	32.9	48.7	68.4	60.5
Bihar	Rohtas	40	31.8	48.2	70.3	64.9
Bihar	Katihar	43.9	23.5	48.1	65.6	68.4
Bihar	Araria	49.9	23.9	47.8	75.8	67.9
Bihar	Kaimur (Bhabua)	44.1	27.3	47.2	71.4	70.3
Bihar	Purnia	43.5	25.8	47.1	68	66
Bihar	Nalanda	42.6	27.8	46.7	80.3	71
Bihar	Banka	46.7	26.9	45.8	77.8	65.9
Bihar	Buxer	39.6	33.2	45.3	68.3	66.2
Bihar	Lakhisarai	42.7	25.6	45.1	77.2	72.6
Bihar	Saran	39.7	28.8	45	69.8	62.8
Bihar	Supaul	42.3	25.8	45	63.6	60.7
Bihar	Bhojpur	40.7	31.3	44	67.7	73.6
Bihar	Gaya	47.4	24.3	43.5	76.7	64.3
Bihar	Madhepura	46.3	20.6	43.5	67.7	65.7
Bihar	Samastipur	44	21.3	42.8	67.2	60.5
Bihar	Saharsa	47.8	20.5	42.7	69.3	65.3
Bihar	Sheohar	34.4	35.4	42.2	73.1	61.6
Bihar	Kishanganj	38.8	23.9	41.1	67.5	65.1
Bihar	Sitamarhi	54.2	16.2	40.8	70	61.7
Bihar	Bhagalpur	40	21.2	40.4	78.7	73
Bihar	Patna	34.5	27.5	39.6	65.4	67.1
Bihar	Munger	35.5	26.7	39.5	74.3	71.4
Bihar	Darbhanga	45.4	19.3	39.2	68.9	60.8
Bihar	Vaishali	38.3	19.6	38.4	77.1	63.1
Bihar	PurbaChampan	49.1	16.8	37.9	61	57.3
Bihar	Sheikhpura	53.6	16.3	37.6	80.1	69.5
Bihar	Jamui	43	19.4	37.5	81.9	75.2
Bihar	Nawada	49.4	18.2	37.3	73.3	70.4

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Bihar	Khagaria	34.8	25.3	36.4	67.1	59.5
Bihar	Madhubani	43.3	17.1	36	71	61.4
Bihar	Begusarai	37.8	21	35.6	74.5	62.9
Bihar	Muzaffarpur	42.6	19.9	34.7	64.6	58.9
Bihar	Siwan	36.7	18.2	30.8	63.9	53.1
Bihar	PashchimChampan	43.5	13.2	30.3	61.6	50.6
Bihar	Gopalganj	34.2	21.5	29.2	56.1	53.8
Chandigarh	Chandigarh	25.3	8.4	20.6	54.6	60.3
Chhattisgarh	Bijapur	53.8	20	46.1	77.2	72.1
Chhattisgarh	Dantewada	45.6	19.4	45.8	89.9	76
Chhattisgarh	Bastar	48.1	20.4	45.2	80.7	77.2
Chhattisgarh	Kodagaon	37.6	22.8	42.2	76.6	79.7
Chhattisgarh	Narayanpur	43.7	21.5	39.5	86.8	72
Chhattisgarh	Balrampur	35.1	23	38.8	50.1	63.4
Chhattisgarh	Sukma	41.8	21.2	37.4	91.4	78.4
Chhattisgarh	Uttar BastarKanker	24.8	24.5	36.1	62.3	65.2
Chhattisgarh	Balod	33.6	15.1	36	68.3	56.4
Chhattisgarh	Baloda Bazar	40.9	19.4	34.1	67.8	61.2
Chhattisgarh	Jashpur	35.8	17	33.6	54.1	61.5
Chhattisgarh	Raipur	32.2	21.7	32.3	74.6	59.1
Chhattisgarh	Surajpur	27.6	19.3	32.3	51.1	60.7
Chhattisgarh	Koriya	32.1	18.1	31.8	56.3	64.4
Chhattisgarh	Rajnandgaon	27.6	19.4	31	80.5	58.3
Chhattisgarh	Mungeli	30.1	17.7	30.6	62	54.5
Chhattisgarh	Surguja	29.4	17.5	30.6	51.4	58.3
Chhattisgarh	Janjgir - Champa	32.5	24.6	30.2	74.1	66.3
Chhattisgarh	Dhamtari	30.5	17.9	28.9	67.3	59.6
Chhattisgarh	Bilaspur	25.7	24	28	78.1	58.5
Chhattisgarh	Raigarh	39.1	14.9	28	62.7	62.2
Chhattisgarh	Korba	34.7	14.7	27.9	63.6	66.4
Chhattisgarh	Durg	38.9	16.9	27.7	57.1	51.7
Chhattisgarh	Bemetara	38.4	16.4	27.6	61.8	47
Chhattisgarh	Kabeerdham	37.9	12	27.3	67.5	43.6
Chhattisgarh	Mahasamund	36.8	14	25.8	75.8	63
Chhattisgarh	Gariyaband	28.9	21.9	22.1	73.9	64.6
Dadra Nagar Haveli & Daman & Diu	Dadra & Nagar Haveli	42.4	20.9	42.1	74.8	64.4

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Dadra Nagar Haveli & Daman & Diu	Daman	30	25.2	29.3	82.5	60.8
Dadra Nagar Haveli & Daman & Diu	Diu	33.9	17.4	28.5	62.8	50.3
Goa	North Goa	24.2	17.7	25.8	55.2	40
Goa	South Goa	28.3	21.4	21	50	37.6
Gujarat	The Dangs	37.6	40.9	53.1	82.4	77.2
Gujarat	Dahod	55.3	27.8	53	87.2	75.1
Gujarat	Narmada	47.2	23	52.8	93.2	75.9
Gujarat	Panchmahal	47.1	35.7	51.9	91	69.8
Gujarat	Tapi	41.7	36.6	51.8	80.7	77.4
Gujarat	Mahisagar	43.4	26.2	49	85.9	72.5
Gujarat	Chhota Udaipur	48.6	28.4	48.1	87.7	78.9
Gujarat	Aravali	47.1	29	47.2	89.5	77.3
Gujarat	Anand	38.4	28.6	46.6	78.4	66.4
Gujarat	Bharuch	40.9	24.5	45.5	81	71.8
Gujarat	Gandhinagar	38.1	30.6	44.6	81.2	68.8
Gujarat	Banaskantha	39	25.5	44.1	79	60
Gujarat	Navsari	36.8	29	43.6	75.3	68.7
Gujarat	Patan	50.5	20.9	42.3	76.2	59.8
Gujarat	Surendranagar	39.2	27.1	41.8	81	55.6
Gujarat	Mahesana	31	28.2	41.4	86	69.3
Gujarat	Sabarkantha	37	33.1	41	81.1	67.3
Gujarat	Vadodara	42.3	20.1	39.9	86.4	72.3
Gujarat	Kheda	37.3	30.9	39.5	85.1	76.1
Gujarat	Bhavnagar	32.6	29.6	39.5	71.5	49.4
Gujarat	Rajkot	38.9	17.6	37	77	60.5
Gujarat	DevbhumiDwarka	30.2	26.1	36.2	66.7	48.8
Gujarat	Valsad	37.8	23.2	34.8	87.6	75.7
Gujarat	Ahmedabad	35.5	17.5	34	72	63.7
Gujarat	Kachchh	37.5	20.2	33.4	68.6	57.5
Gujarat	Surat	36.1	26	32.5	83.6	69
Gujarat	Botad	32.2	26	32.3	75.5	58.8
Gujarat	Morbi	32.9	25.2	32.3	75.3	50.7
Gujarat	Amreli	35.3	23.7	30.6	72	50
Gujarat	GirSomnath	44.4	18.5	30.3	68.9	49.9
Gujarat	Jamnagar	28.4	23.8	28.9	75	50.2
Gujarat	Junagadh	37.3	17.3	26.4	74.7	58.8

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Gujarat	Porbandar	18.2	21.8	25.5	77.9	47.6
Haryana	Mewat	44.4	14.2	37.3	76.4	60.6
Haryana	Kaithal	29.9	20.7	29.9	61.4	61.5
Haryana	Fatehabad	24.6	16	26.6	59.3	62.3
Haryana	Sirsa	25	12.6	23.4	70.1	61.9
Haryana	Yamunanagar	27.7	12.1	23.1	72.9	56.6
Haryana	Jind	25.5	8.8	22.9	68.9	59.6
Haryana	Kurukshetra	24.9	12.8	22.5	73.7	57.1
Haryana	Gurgaon	22.1	15.7	22.2	67.7	67.5
Haryana	Rohtak	28.9	12.5	22.1	76.2	65.3
Haryana	Hisar	27.8	16.4	21.4	70.5	63.8
Haryana	Palwal	31	9.9	21	71.6	57.2
Haryana	Bhiwani	29	6	20.6	69.2	66.4
Haryana	Karnal	29.2	9.8	20.5	78.3	61.9
Haryana	Rewari	25.9	9.3	20.5	71.3	61.8
Haryana	Faridabad	28.9	8	19.5	68.4	54.2
Haryana	Panchkula	21.8	12	19.3	53.1	57.1
Haryana	Panipat	25.1	9.9	18.9	73.4	66.9
Haryana	CharkhiDadri	23.9	10.6	16.9	67.2	72.6
Haryana	Mahendragarh	25.2	8.4	15.4	72.3	61.2
Haryana	Ambala	24.1	10.9	13.7	64.2	46.1
Haryana	Sonipat	23.6	9.2	12.7	68.7	53.3
Haryana	Jhajjar	15.6	8	9.7	76.9	60.1
Himachal Pradesh	Bilaspur	40.1	12	38.8	44.8	53
Himachal Pradesh	Kangra	28	19.4	32	55.3	63.4
Himachal Pradesh	Solan	32.3	20.9	26.7	50.4	47.5
Himachal Pradesh	Chamba	42.6	15.4	26	46.5	43.7
Himachal Pradesh	Una	24.7	13.1	25.8	58.7	60.8
Himachal Pradesh	Kullu	35.9	16.1	25.6	75.3	52.8
Himachal Pradesh	Sirmaur	28.6	18.5	24.2	58.5	50.1
Himachal Pradesh	Hamirpur	27.3	14.9	23.6	52	49.5
Himachal Pradesh	Mandi	31.3	19.9	21.3	52.2	48.9
Himachal Pradesh	Kinnaur	32.2	11.3	18.9	75.6	51.7
Himachal Pradesh	Lahul and Spiti	28.5	16.3	18.4	91	82.1
Himachal Pradesh	Shimla	27.1	15.5	14.9	59.1	46.5
Jammu & Kashmir	Shupiyan	22	32.8	33.5	57.1	63.9
Jammu & Kashmir	Rajouri	30.3	22.5	32.4	76.4	60.6

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Jammu & Kashmir	Udhampur	37.3	19.8	31.9	70.4	56.5
Jammu & Kashmir	Anantnag	28.2	24.9	28.3	79.2	74.3
Jammu & Kashmir	Kathua	21.8	22.5	25.9	67	53.6
Jammu & Kashmir	Kupwara	24.9	25.1	25.5	78.8	73.5
Jammu & Kashmir	Ramban	25.7	15.6	21.2	62	59.7
Jammu & Kashmir	Badgam	26.8	18.9	20.6	85	73.9
Jammu & Kashmir	Pulwama	22.4	15.3	20.2	67.4	73.2
Jammu & Kashmir	Ganderbal	18.5	25.9	20.1	89.8	77.2
Jammu & Kashmir	Punch	25.9	15.6	18.8	54.3	54.1
Jammu & Kashmir	Kishtwar	27.5	22.8	17.7	88.5	84.8
Jammu & Kashmir	Jammu	27	18	17.6	68.4	66.6
Jammu & Kashmir	Baramula	23.2	18.2	17.3	70.4	72.5
Jammu & Kashmir	Bandipore	25.2	14	16.8	75.1	73.7
Jammu & Kashmir	Srinagar	33	18.6	15.8	77	51.7
Jammu & Kashmir	Samba	24.5	20.4	15.5	69	62.4
Jammu & Kashmir	Kulgam	28.4	11.3	15.3	77.7	77
Jammu & Kashmir	Doda	32.7	9.5	15.2	80.7	66.5
Jammu & Kashmir	Reasi	17.7	13	11.7	69.7	62.9
Jharkhand	PashchimiSinghbhum	60.6	30.5	62.4	73.3	72.6
Jharkhand	Pakur	51.3	23.6	51.4	72.1	79.7
Jharkhand	Saraikela-Kharsawan	40	32.9	48.7	76.1	70.2
Jharkhand	Jamtara	41.9	23	46.2	72.8	77.7
Jharkhand	Dumka	38.2	27.8	44.9	75.1	73.4
Jharkhand	Sahibganj	49.1	19.7	44.8	72.6	71.5
Jharkhand	Khunti	38.5	32.1	44	66.9	70
Jharkhand	Lohardaga	40.7	26.6	43.4	68.7	61.7
Jharkhand	PurbiSinghbhum	35.9	29.4	41.6	67.4	64.4
Jharkhand	Godda	39.4	24.5	40.7	75.1	66.3
Jharkhand	Ranchi	28.3	32.7	40.6	62.8	58.9
Jharkhand	Garhwa	47.7	18.9	40.6	62.5	62.7
Jharkhand	Chatra	42.2	17.2	39.8	62.6	56
Jharkhand	Latehar	40.1	19.2	39.4	68.3	63.6
Jharkhand	Gumla	40.2	20.1	38.7	65.8	59.5
Jharkhand	Palamu	43.7	18.4	37.3	68.2	61
Jharkhand	Simdega	42.2	21.1	37	75.4	70.6
Jharkhand	Deoghar	41.7	17.7	36.9	73.9	70.2
Jharkhand	Ramgarh	35.3	23.5	35.3	59.7	62.3

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Jharkhand	Giridih	31.9	27.8	34.3	62.8	64.7
Jharkhand	Hazaribagh	37.8	16.2	32.5	62.1	56.1
Jharkhand	Bokaro	36.2	19.7	32.3	66.5	68.8
Jharkhand	Kodarma	34.6	18	31.7	60	64.9
Jharkhand	Dhanbad	27	14	25.1	66.5	63.8
Karnataka	Koppal	49.1	23.1	45.8	70.7	54.8
Karnataka	Yadgir	57.6	17.7	45.2	76	57.3
Karnataka	Bagalkot	48.3	16.9	42.3	63.8	48
Karnataka	Raichur	39.8	23.2	40.7	73.6	60.4
Karnataka	Dharwad	45.2	16.5	40.4	67.2	52.1
Karnataka	Gadag	45.2	18.2	39.8	70.3	50.5
Karnataka	Bijapur	45.9	15	39	65.2	52.9
Karnataka	Belgaum	32.8	23.6	36.9	72.7	52.9
Karnataka	Bellary	36.1	22.9	36.5	67.5	58.1
Karnataka	Gulbarga	34.5	25	36.2	75.1	56
Karnataka	Bidar	36.8	22.1	36.1	69.3	55.9
Karnataka	Haveri	29.9	17.7	35	66.9	50.8
Karnataka	Shimoga	29	23.2	34.4	68.9	41.9
Karnataka	Uttara Kannada	29.6	21.9	33.3	69	44.6
Karnataka	Davanagere	38.4	18.8	32.8	70.2	51.7
Karnataka	Chitradurga	36	17.9	32.4	61.1	44.6
Karnataka	Chamarajanagar	32.2	18	28.7	68.7	46.3
Karnataka	Mysore	27.5	15.6	28.2	57.2	48
Karnataka	Bangalore	31.3	19.2	28.1	58.9	35.5
Karnataka	Tumkur	40.3	10.9	26.7	67.6	49.3
Karnataka	Dakshina Kannada	25.1	30.5	26.4	51.1	38.8
Karnataka	Chikmagalur	27.3	24.9	25.4	53.2	40.8
Karnataka	Chikkaballapura	31.3	16.1	25.2	59	45.5
Karnataka	Bangalore Rural	36.6	16.2	23.8	60.8	44.2
Karnataka	Hassan	27.1	15.2	23.8	63.6	42.2
Karnataka	Kodagu	30.4	21.7	22.6	54.4	39.9
Karnataka	Udupi	23.1	17.6	21	58.3	47.3
Karnataka	Ramanagara	15.6	20	19.8	60.2	45.5
Karnataka	Mandya	24.3	11.8	16.7	58.2	47
Karnataka	Kolar	31.1	15.5	15.7	57.9	43.6
Kerala	Palakkad	29.7	21.7	27.7	51.9	49.6
Kerala	Idukki	24.3	14.5	23.6	32	32

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Kerala	Wayanad	31.3	16.1	22.5	39.4	26.9
Kerala	Malappuram	29.4	18.2	21.4	47.2	34.7
Kerala	Kasaragod	25.3	12.6	21.4	34.3	35.4
Kerala	Alappuzha	20.1	14.4	20.4	30.3	31.9
Kerala	Ernakulam	22	17.1	19.4	36.4	31.7
Kerala	Kozhikode	21.3	14.1	18.9	32.1	29.8
Kerala	Kannur	19.4	14	17.9	37.2	39.7
Kerala	Thrissur	22	9.6	17.3	48.7	44.4
Kerala	Kottayam	23.4	8.4	17.3	36.8	38.7
Kerala	Kollam	15.5	21.4	17	32.5	36
Kerala	Thiruvananthapuram	19.5	17.4	15.2	33	33
Kerala	Pathanamthitta	22.7	11.4	11.2	44.2	36.4
Ladakh	Kargil	36.5	17.7	21.8	87.9	92
Ladakh	Leh(Ladakh)	24.3	17.2	19	95.5	93.5
Lakshadweep	Lakshadweep	32	17.4	25.8	43.1	25.8
Madhya Pradesh	Burhanpur	38.7	27.9	47.2	77.9	57.3
Madhya Pradesh	Balaghat	41.9	20.5	44.9	56.8	60.6
Madhya Pradesh	Khargone (West Nimar)	31.4	27.4	44	71.5	50.1
Madhya Pradesh	Katni	49.5	21.8	44	78.7	58.7
Madhya Pradesh	Jhabua	49.3	17.9	41.7	80.1	58.8
Madhya Pradesh	Barwani	45.8	18.9	41	78.2	58.4
Madhya Pradesh	Panna	45.1	23.2	39.2	74.5	59
Madhya Pradesh	Shahdol	44	20.4	39.2	57.3	56.4
Madhya Pradesh	Sheopur	45.8	16.2	37.7	71.6	64.9
Madhya Pradesh	Umaria	45.3	15.5	36.6	71.5	51.5
Madhya Pradesh	Ujjain	34.7	29.8	36.2	81.6	54.5
Madhya Pradesh	Shivpuri	39.2	18.4	36.1	70.5	51.1
Madhya Pradesh	Singrauli	37.3	25.2	36	56.6	54.1
Madhya Pradesh	Dhar	28.8	29.5	35.9	65	50.2
Madhya Pradesh	Sagar	42.7	15.2	35.8	83.3	49.8
Madhya Pradesh	Agar Malwa	40.3	18.7	35.7	71.6	59.2
Madhya Pradesh	Khandwa (East Nimar)	38.4	20.7	35.3	86.8	64.8
Madhya Pradesh	Tikamgarh	27.5	19.7	34.9	67.5	49.1
Madhya Pradesh	Harda	38.8	28	34.7	85.6	62.6
Madhya Pradesh	Chhatarpur	45.1	17.5	34.6	87.2	63.5
Madhya Pradesh	Vidisha	36.5	16.6	34.4	52.3	38.5
Madhya Pradesh	Dindori	38.9	15.8	33.6	78.1	65.2

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Madhya Pradesh	Mandla	32.1	15.9	33	70.2	60.6
Madhya Pradesh	Gwalior	40.1	12.4	33	78.4	62.5
Madhya Pradesh	Chhindwara	23.9	18.1	32.8	50.5	41.7
Madhya Pradesh	Sidhi	39.1	16.6	32.8	72.5	55.7
Madhya Pradesh	Damoh	40.3	16.2	32.3	76.3	48.1
Madhya Pradesh	Alirajpur	34.6	15.4	31.6	76.4	60.5
Madhya Pradesh	Rewa	37	18.7	31.5	78	61.7
Madhya Pradesh	Betul	30.8	21.7	31.4	57.8	56.2
Madhya Pradesh	Jabalpur	18	26.4	31.3	37.8	48.9
Madhya Pradesh	Satna	49.4	16.8	31.2	81.8	57.3
Madhya Pradesh	Seoni	23.5	21.1	31.1	71.8	59.9
Madhya Pradesh	Ashoknagar	32.6	19.7	31.1	59.7	46.1
Madhya Pradesh	Dewas	36.8	20.4	30.7	79.4	51.3
Madhya Pradesh	Anuppur	24	18.4	30.7	49.2	52.6
Madhya Pradesh	Morena	40	10.1	29.6	74.7	67.5
Madhya Pradesh	Datia	36.8	16.4	29.4	72.8	58.6
Madhya Pradesh	Bhopal	19.9	20.6	29.1	68.5	53.5
Madhya Pradesh	Bhind	32.2	12.4	29	75.6	69.9
Madhya Pradesh	Ratlam	29	16.2	28.6	74	59.5
Madhya Pradesh	Narsimhapur	32	19.6	28.1	73.4	46.9
Madhya Pradesh	Neemuch	33	13.1	27.7	77.2	50.3
Madhya Pradesh	Shajapur	27.8	23.4	27.6	76.1	45.8
Madhya Pradesh	Sehore	21.9	20.3	27.6	82.4	45.3
Madhya Pradesh	Hoshangabad	34.8	19.5	27.2	78.8	51.9
Madhya Pradesh	Rajgarh	27.6	22.4	26.8	77.5	52.3
Madhya Pradesh	Raisen	30.4	21.1	25.4	61.1	56.9
Madhya Pradesh	Guna	31.9	10.1	25.1	75.1	49.8
Madhya Pradesh	Indore	28.7	21.2	24.9	78.8	48.1
Madhya Pradesh	Mandsaur	30.9	13.1	22.9	65.4	56.7
Maharashtra	Nandurbar	45.8	30.7	57.2	79.3	64.2
Maharashtra	Buldana	45	31.7	47.2	79.4	57.8
Maharashtra	Chandrapur	37.3	38.5	46.6	76.6	55.5
Maharashtra	Dhule	37.6	38.9	46	72.2	61.2
Maharashtra	Nashik	42.2	27.2	44.8	67.3	56.2
Maharashtra	Aurangabad	34.2	26.4	42.9	64.5	52.4
Maharashtra	Parbhani	37.6	22.8	41.8	75.4	58.8
Maharashtra	Ahmadnagar	31.7	24.9	41.2	64.5	50.3

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Maharashtra	Yavatmal	36.6	27.5	39.4	75.2	58.4
Maharashtra	Washim	35.3	31.7	39.3	70.4	56.4
Maharashtra	Jalna	38	22.2	39	68.3	58.2
Maharashtra	Hingoli	37.4	25.8	38.9	72.5	51.3
Maharashtra	Amravati	29	26.2	38	74.4	53.4
Maharashtra	Palghar	33	23.9	37.1	70.3	56.9
Maharashtra	Jalgaon	36.3	30.5	36.9	85.2	65.2
Maharashtra	Bid	40.8	28.4	36.8	61	50.8
Maharashtra	Gondiya	36.9	23.7	35.6	78	60.4
Maharashtra	Gadchiroli	35.7	30	35.4	76.6	66.2
Maharashtra	Nanded	36	19	35.2	76.1	57.3
Maharashtra	Kolhapur	33.6	18.9	34.7	66.4	50.1
Maharashtra	Raigarh	35.8	19.1	34.1	67	54.2
Maharashtra	Nagpur	27.6	34	33.9	70.5	53.6
Maharashtra	Bhandara	31.3	28.4	33.9	72.8	65.3
Maharashtra	Latur	43.2	18	33.9	59.5	50.7
Maharashtra	Solapur	36.3	23.2	32.9	70.9	54.5
Maharashtra	Pune	30.7	31.4	32.7	58.7	51.9
Maharashtra	Osmanabad	37.2	16.1	32.5	67.4	49.1
Maharashtra	Sindhudurg	30.8	27.7	32	55.6	41.2
Maharashtra	Wardha	27.7	28.1	31.3	71.4	60
Maharashtra	Akola	31.8	29.4	30.8	77.5	52.6
Maharashtra	Thane	40.8	17.8	30.8	67.9	58.8
Maharashtra	Mumbai	26.6	25.3	29.6	72.8	45.9
Maharashtra	Ratnagiri	31.7	23.7	29.5	69.4	43.4
Maharashtra	Satara	20.2	20.5	28	68.9	49.6
Maharashtra	Sangli	35	18.6	27.2	62.7	47.5
Maharashtra	Mumbai Suburban	37.2	18.6	24.6	65.6	50
Manipur	Tamenglong	27.1	9.6	19.3	37	27.3
Manipur	Ukhrul	27.1	11.6	16	34.6	21.9
Manipur	Thoubal	31.5	8.3	14.9	39.7	24.2
Manipur	Chandel	34	8.3	14.7	42.4	27.3
Manipur	Imphal East	18.4	11.7	14.4	50.3	35.9
Manipur	Senapati	27.3	10.7	12.9	48.5	27.4
Manipur	Bishnupur	15.5	7.9	11.7	42.4	35.8
Manipur	Imphal West	15.6	9.3	10.2	41.8	26.8
Manipur	Churachandpur	25.1	12.1	9.8	41.1	32

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Meghalaya	West Khasi Hills	59	8	31.1	56.2	51.8
Meghalaya	Ribhoi	42.5	17.9	29.6	45.7	62.4
Meghalaya	West Jaintia Hills	48.7	9.7	28.3	54.6	55.9
Meghalaya	South West Khasi Hills	51.4	10.4	27.6	61.3	58.9
Meghalaya	East Garo Hills	39.7	20.1	26.5	28	50.9
Meghalaya	South West Garo Hills	32.2	19.9	26.4	35.5	62.5
Meghalaya	West Garo Hills	39.5	14.9	26.3	30.2	55.3
Meghalaya	East Khasi Hills	44.6	11.2	23.8	39	48.2
Meghalaya	East Jantia Hills	49.8	8.5	23.6	47.2	43.9
Meghalaya	South Garo Hills	29.8	18.3	20.8	33.6	56.2
Meghalaya	North Garo Hills	35.6	11.7	15.8	30.2	58.4
Mizoram	Saiha	43.8	7.7	17.6	46.4	44.2
Mizoram	Lawngtlai	32.7	16.2	16.9	55.3	48.5
Mizoram	Serchhip	31.8	8.4	14.4	43.2	32.1
Mizoram	Mamit	26.4	7.4	13.9	45.5	34.9
Mizoram	Champhai	27.2	12.1	13.1	38.3	25.7
Mizoram	Kolasib	30.4	11.3	12.6	53.8	37.7
Mizoram	Lunglei	26.5	9.5	11.1	45.7	34.9
Mizoram	Aizawl	25.3	7.3	9.6	44	31.7
Nagaland	Zunheboto	44	26.9	44.5	34.9	31.1
Nagaland	Tuensang	37.1	24.6	34.2	38.8	28.8
Nagaland	Dimapur	28.3	25	29.8	48.9	34.7
Nagaland	Wokha	26.3	23.5	28	45.4	30.9
Nagaland	Longleng	34.1	19.8	25.7	40.4	34.6
Nagaland	Kiphire	36.9	11	25	55.2	31.4
Nagaland	Mon	35.5	7.8	23.3	39.4	30.2
Nagaland	Mokokchung	31.4	11.7	22.9	35.5	25
Nagaland	Kohima	28.3	26.9	22.1	38.4	14.9
Nagaland	Peren	34.9	9.1	20.7	51	29.7
Nagaland	Phek	28	12.9	15.6	44.9	30
NCT of Delhi	Shahdara	32.9	21.2	30.2	71.4	49.2
NCT of Delhi	East	35.2	15.7	29.9	65.9	42.5
NCT of Delhi	Central	33.5	13.5	25.5	70.3	44.6
NCT of Delhi	North East	26.9	10.9	22.8	73.6	51.4
NCT of Delhi	North	38.7	8.8	21.8	62.5	45.9
NCT of Delhi	New Delhi	27.4	6.8	20.7	72.9	56
NCT of Delhi	South	21.7	14.7	20.4	72.7	47.9

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
NCT of Delhi	West	36.1	8.4	19	68.5	57.2
NCT of Delhi	South West	33.4	9.4	18.9	65.4	46.2
NCT of Delhi	North West	25	8.9	17.4	67.5	47.2
NCT of Delhi	South East	27.1	10.6	16.8	70.1	56.4
Odisha	Nabarangapur	44.1	25.2	46.6	70.8	69.3
Odisha	Mayurbhanj	36.7	28.5	45.9	71.7	72.2
Odisha	Malkangiri	44.3	19.3	41.6	78.7	71.9
Odisha	Rayagada	43.6	16.1	39.8	70.5	69.1
Odisha	Baudh	37	20.1	38.6	56.2	54.1
Odisha	Nuapada	43.1	18.1	38	73.5	64
Odisha	Balangir	32.7	25.5	37.6	74.9	59.4
Odisha	Kendujhar	36.2	23.8	37.1	64.6	69.2
Odisha	Sambalpur	40.7	25.5	36.3	64.5	66.7
Odisha	Kandhamal	34.2	23.3	35.2	55.3	48.9
Odisha	Sundargarh	32.9	21.1	34.7	77.1	69.8
Odisha	Subarnapur	29.6	26	34.5	73.1	58.8
Odisha	Debagarh	28.4	27.3	34.3	61.5	72.2
Odisha	Gajapati	43.4	16.1	34.3	64.4	66.1
Odisha	Kalahandi	33	17.2	33.6	68.8	64.2
Odisha	Koraput	43.1	15.9	33.5	69.7	58.2
Odisha	Anugul	28.1	25.1	30.5	75.3	75.8
Odisha	Dhenkanal	33.3	22.7	30	62	65.9
Odisha	Bargarh	38.9	18	30	56.2	62.6
Odisha	Bhadrak	32.3	15.8	28.9	68.7	64
Odisha	Jharsuguda	27.1	16.9	26.9	65.5	67.8
Odisha	Baleshwar	24.4	15	22.6	43.2	61.8
Odisha	Jajapur	25.5	15.9	21.8	66.4	63.4
Odisha	Nayagarh	20	10.5	20.2	55.2	62.5
Odisha	Cuttack	20.4	14.2	18.9	63.8	64.5
Odisha	Ganjam	23.9	10.2	18.9	61.3	56.7
Odisha	Kendrapara	28.6	7.9	17.9	61.5	58.8
Odisha	Khordha	17.1	13.2	16.9	56.1	68.1
Odisha	Puri	13.8	8.9	11.3	51	63.3
Odisha	Jagatsinghapur	13.2	10.7	11	58.2	59.8
Puducherry	Mahe	48.2	7.3	32.6	36.9	38.4
Puducherry	Karaikal	25.5	15.3	19.7	65.5	54.4
Puducherry	Yanam	25	12.4	18.7	39.7	43.1

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Puducherry	Puducherry	17	11.6	13.1	66.3	56.8
Punjab	Muktsar	35	13.6	30.7	69	61
Punjab	Bathinda	23	15.4	23.8	69.6	59.7
Punjab	SahibzadaAjit Singh Nagar	26.2	10.7	23	63.7	59.5
Punjab	Mansa	36.6	12.1	22.7	78.2	60.4
Punjab	Firozpur	30	12.9	22	73.4	61.5
Punjab	Faridkot	28.1	10.3	20.7	76.1	63.2
Punjab	Fazilka	35.9	9.5	20.2	70	66.9
Punjab	Kapurthala	24.6	12.8	19.2	68.7	54.5
Punjab	Fatehgarh Sahib	30	7.1	18.2	61.5	65.1
Punjab	Sangrur	23.4	10.4	18.1	66.9	52.6
Punjab	Patiala	20.3	9.9	16.9	76.7	65.3
Punjab	Moga	22	12	16.8	70.3	54.4
Punjab	Jalandhar	24.8	10.3	16.7	69.2	57
Punjab	Barnala	33.8	9.4	16.5	60.6	55.2
Punjab	Gurdaspur	25.1	9.5	15.3	70.1	55.2
Punjab	Rupnagar	15.1	9.1	15.3	65.5	64.5
Punjab	Tarn Taran	23.8	11.3	14.4	70.5	61.7
Punjab	Hoshiarpur	19.3	11.5	12.4	69.6	54.1
Punjab	Ludhiana	22.1	5.9	12.4	77.9	64.3
Punjab	ShahidBhagat Singh Nagar	17.9	12	11.2	63.9	49.8
Punjab	Amritsar	19.4	11.9	11.2	73.6	52.1
Punjab	Pathankot	22.1	10.3	10.8	68.3	55
Rajasthan	Baran	46	21.3	40.2	65.1	60.1
Rajasthan	Banswara	44.6	17.3	38.7	82.1	52.8
Rajasthan	Jhalawar	34	29	38.1	73.1	51.5
Rajasthan	Karauli	37.6	26.6	37.3	75.9	61.5
Rajasthan	Jalor	44.3	12.1	36.5	66.3	59.9
Rajasthan	Pali	35.9	18.3	35.9	72.6	58.8
Rajasthan	Dausa	37.7	20.7	33.5	74.4	60.3
Rajasthan	Pratapgarh	29	24.9	31.8	65.8	53.1
Rajasthan	Jaisalmer	25.5	25	31.7	58.6	44.4
Rajasthan	Barmer	39.1	11.5	31.7	67.1	49.4
Rajasthan	Dhaulpur	45.7	13.7	31.3	81.7	68.5
Rajasthan	Sirohi	30.7	16.4	31.2	75.8	64
Rajasthan	Bundi	30	19.6	29.1	74.9	55.9

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Rajasthan	Bharatpur	40.3	12.2	29.1	75.7	60.8
Rajasthan	Bikaner	22.8	25.6	28.5	82.4	58.9
Rajasthan	Tonk	33.1	18.1	28.2	64.6	52.8
Rajasthan	Udaipur	34	8.6	26.6	76.9	60.5
Rajasthan	Kota	29.5	20.8	26.4	66.7	51.8
Rajasthan	Nagaur	31.5	16.2	26.2	65.1	45.3
Rajasthan	Ganganagar	24.5	24.9	26.1	72.3	59
Rajasthan	Dungarpur	31.4	15.6	25.9	79.8	72.6
Rajasthan	Chittaurgarh	31.4	14.6	25.9	72.4	45.1
Rajasthan	Jodhpur	32.6	13.3	25.4	64.4	43.4
Rajasthan	SawaiMadhopur	26.9	22	24.2	73.3	57.5
Rajasthan	Alwar	33.9	15.6	24	63.2	53.2
Rajasthan	Rajsamand	30.3	16.6	23.7	84.3	58.4
Rajasthan	Bhilwara	22.6	17.4	23.5	62.7	50.4
Rajasthan	Churu	27.1	16.5	23.4	78.1	52.9
Rajasthan	Ajmer	22.3	20	23.1	76.3	52.7
Rajasthan	Hanumangarh	24.2	19.8	21.3	81	60.3
Rajasthan	Jaipur	25	14.6	20.8	71.3	54.1
Rajasthan	Jhunjhunun	20.9	13.9	19.6	77.2	55.4
Rajasthan	Sikar	23.1	12.8	18.3	61.5	44
Sikkim	West District	25.2	21.1	19.3	67.1	42.7
Sikkim	North District	31.8	4.5	15.3	53.5	36.7
Sikkim	East District	17.8	14.3	13	49.8	43.3
Sikkim	South District	24.8	8	7.2	56.5	39.8
Tamil Nadu	Karur	33.6	18.4	36.3	73.2	65
Tamil Nadu	Sivaganga	27.6	22.8	28.4	56.4	51.5
Tamil Nadu	Dindigul	27.1	21.1	28.4	50.2	42.6
Tamil Nadu	Tiruchirappalli	27.6	20.9	27.4	82.3	62.4
Tamil Nadu	Erode	19.4	20.9	26.9	46.5	55.4
Tamil Nadu	Tiruvannamalai	30.6	14.8	25	64.7	56.6
Tamil Nadu	Nagapattinam	32.3	12.5	24.3	60.9	62.6
Tamil Nadu	Virudhunagar	29.2	14.4	23.7	58.9	56.9
Tamil Nadu	The Nilgiris	26.7	17.3	23.2	45.9	44.2
Tamil Nadu	Dharmapuri	28.7	16.9	23.2	54.2	42.5
Tamil Nadu	Tiruppur	21.5	15.3	23.1	44.8	55.2
Tamil Nadu	Tirunelveli	29.4	12	22.7	49.9	51
Tamil Nadu	Perambalur	29.1	15.9	22.3	69.2	66.1

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Tamil Nadu	Chennai	20.4	18.3	21.9	55.3	50.3
Tamil Nadu	Thanjavur	19.6	8.3	21.9	64.8	59
Tamil Nadu	Ramanathapuram	26.4	17.7	21.6	57.2	53.6
Tamil Nadu	Pudukkottai	32.2	9.5	21.6	71.1	62.5
Tamil Nadu	Thiruvavur	19.8	18.4	21.5	45	58.2
Tamil Nadu	Madurai	32.4	9.5	21.5	54.3	48
Tamil Nadu	Thoothukkudi	20.3	18.4	21	55.6	55.9
Tamil Nadu	Salem	23.6	10.1	20.8	51.3	46.3
Tamil Nadu	Thiruvallur	18.1	17	20.6	58.4	56.8
Tamil Nadu	Viluppuram	23.9	12.4	20.5	73.4	62.5
Tamil Nadu	Ariyalur	25.3	15.1	20.1	62	62.4
Tamil Nadu	Kancheepuram	20.6	15.7	19.8	68.8	57
Tamil Nadu	Vellore	29.8	13.1	19.7	60.9	50.6
Tamil Nadu	Krishnagiri	29	10.4	19.3	46.5	44
Tamil Nadu	Theni	20.2	15.5	18.8	46.8	41.2
Tamil Nadu	Coimbatore	23	7	18.5	37.8	48.9
Tamil Nadu	Cuddalore	20.2	13.9	18	64.8	58.6
Tamil Nadu	Namakkal	25.2	10.3	15.7	67.9	51.9
Tamil Nadu	Kanniyakumari	17.3	11.4	14.5	39.1	45.6
Telangana	Adilabad	45.7	29.5	52	76.3	61.1
Telangana	Kamareddy	33.4	34.5	43.9	71.6	58.9
Telangana	Medak	36.4	21.3	42	70	54.4
Telangana	JogulambaGadwal	49.7	17.3	41.7	82.4	64.6
Telangana	KomaramBheemAsifabad	38.1	35.7	41.1	70.7	67.3
Telangana	Nizamabad	30.5	26.2	38.4	65.3	57
Telangana	Warangal Rural	36.1	19	37.9	71.5	59.3
Telangana	Vikarabad	32.1	20	37.1	70	61
Telangana	JayashankarBhupalapally	32.5	31.8	36.7	67.9	65.9
Telangana	Warangal Urban	29.5	29.5	36	67	57.9
Telangana	Sangareddy	32.9	25	35.1	67	48.3
Telangana	Nirmal	31.7	18.1	33.4	65.3	57.7
Telangana	Wanaparthy	40.4	15.1	33.2	75.3	58.7
Telangana	Peddapalli	27.5	28.8	33.1	69.6	64.6
Telangana	Mahabubnagar	42.6	17.8	33	82.6	54.7
Telangana	Jagitial	29.9	17.5	32.3	59.9	56.3
Telangana	Nagarkurnool	35.1	27.3	30.9	75.1	54

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Telangana	Jangoan	33.4	22.9	30.9	69.5	57.5
Telangana	Suryapet	29.1	24.9	30.1	76.6	57.5
Telangana	Siddipet	28.1	19.3	29.6	63.5	56.7
Telangana	Ranga Reddy	37.8	13.9	29.5	75.8	53.2
Telangana	Nalgonda	31.7	29.8	28	74.5	54.3
Telangana	Karimnagar	30.3	13.9	27.5	70.8	61.1
Telangana	Mancherial	25.9	22.1	27.4	58.7	56.7
Telangana	YadadriBhuvanagiri	38.3	10.3	27.2	65.3	53.8
Telangana	Mahabubabad	33	19.3	26.3	81.1	62.8
Telangana	Khammam	22.2	24.7	26.2	60.5	62.4
Telangana	RajannaSircilla	22.4	19.4	26.1	65.7	56
Telangana	BhadradriKothagudem	28.4	21.8	25.3	69.3	68.7
Telangana	Medchal-Malkajgiri	33.4	12	25	73.8	56.8
Telangana	Hyderabad	30.4	17.7	18.9	63.6	52.7
Tripura	North Tripura	26.2	30	32.2	52.5	69.3
Tripura	Unakoti	31.8	19.3	32	62.8	67.9
Tripura	Gomati	22.7	27.6	29	70.7	62.3
Tripura	Dhalai	45.7	15.9	27.6	81.2	70
Tripura	Khowai	47	16.6	24.7	73.4	63.7
Tripura	South Tripura	25.5	15.3	21.6	59.6	66.5
Tripura	West Tripura	30.3	11.7	21.2	54.5	67.3
Tripura	Sepahijala	34.5	14.9	21	72.1	69.4
Uttar Pradesh	Banda	51	25.7	49.8	82.2	52.2
Uttar Pradesh	Sonbhadra	38.3	26.8	46.5	63	44.5
Uttar Pradesh	Budaun	51.8	18.2	43	72.2	55.3
Uttar Pradesh	Ballia	43.8	21.9	42.5	71.6	52.2
Uttar Pradesh	Chitrakoot	47.5	24.8	41.8	55.3	46.6
Uttar Pradesh	Shrawasti	50.9	20.3	40.8	61.2	44.4
Uttar Pradesh	Deoria	36.8	26.5	39.4	54.9	33.8
Uttar Pradesh	Pilibhit	38.9	20.1	39.4	57.3	52
Uttar Pradesh	Jhansi	40.9	25.2	39.3	70.3	41.3
Uttar Pradesh	Basti	35.9	24.2	39.2	58.4	39.9
Uttar Pradesh	Varanasi	37.4	21	39	65.2	37.6
Uttar Pradesh	Ghazipur	39.3	25.7	38.3	71.6	45.7
Uttar Pradesh	Fatehpur	51.1	17.8	38	78.1	63
Uttar Pradesh	Bahraich	52.1	14.4	38	71.7	48.8
Uttar Pradesh	Sitapur	47.8	18.2	37.9	66.4	55.3

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Uttar Pradesh	Mahoba	40.5	21.8	37.4	60.5	47.1
Uttar Pradesh	Balrampur	41.2	24.9	37.2	75.4	53.7
Uttar Pradesh	Kaushambi	40.2	18.3	36.8	65.5	54.4
Uttar Pradesh	Kushinagar	32.2	24.3	36.6	52.8	42.3
Uttar Pradesh	Siddharthnagar	37.2	24.8	36.3	75.8	51.2
Uttar Pradesh	Hamirpur	48	20.6	36.3	68.5	46.1
Uttar Pradesh	Kheri	47.6	15.8	36.3	66.3	53
Uttar Pradesh	Jalaun	45.1	19.5	36.1	55.2	44.2
Uttar Pradesh	Kanshiram Nagar	45.1	19.3	35.5	80.8	64.6
Uttar Pradesh	JyotibaPhule Nagar	42.2	22.5	35.4	69.6	47.6
Uttar Pradesh	Bareilly	45.9	15.4	35.2	67.7	60.8
Uttar Pradesh	Lalitpur	46.6	18.7	34.8	56	38.1
Uttar Pradesh	Shahjahanpur	44.5	17	34.7	75.4	60.3
Uttar Pradesh	SantKabir Nagar	42.3	19	34.2	71.6	43.5
Uttar Pradesh	Gorakhpur	29.6	23.3	33.7	67.4	52.9
Uttar Pradesh	Mainpuri	44.3	14.6	33.6	70.4	57.8
Uttar Pradesh	Kannauj	43	21.5	33.5	79.6	65.2
Uttar Pradesh	Mahrajganj	42.3	25	33.4	70.1	49.4
Uttar Pradesh	Amethi	35.8	19.9	33.1	52.4	46.1
Uttar Pradesh	Hardoi	44.5	22.3	33	76.1	59.7
Uttar Pradesh	Kanpur Dehat	44.1	12.5	32.8	69.2	54.9
Uttar Pradesh	Auraiya	39.7	19.4	32.6	64.2	39.1
Uttar Pradesh	Prayagraj	37.9	15.1	32.6	50.5	46.4
Uttar Pradesh	Rampur	40.4	17.6	32.1	69.6	55.4
Uttar Pradesh	Bara Banki	41.9	18.1	31.9	65.5	55.3
Uttar Pradesh	Farrukhabad	47.8	14.3	31.1	77.1	56.9
Uttar Pradesh	Etah	48.8	15	30.6	77.4	55.4
Uttar Pradesh	Mau	25.4	21.2	30.3	62.7	44.3
Uttar Pradesh	Jaunpur	40.5	14.8	30.3	65.3	34
Uttar Pradesh	Muzaffarnagar	29.8	20.7	29.9	65.4	46
Uttar Pradesh	Chandauli	39.5	17.4	29.9	64.6	48.7
Uttar Pradesh	Sambhal	51.6	14.1	29.8	69.8	51.3
Uttar Pradesh	Unnao	39.2	12.1	29.3	76	48.9
Uttar Pradesh	Ambedkar Nagar	31.1	17.8	29.2	54.9	52.7
Uttar Pradesh	Rae Bareli	47	13	28.8	76.4	48.2
Uttar Pradesh	Sultanpur	33.4	10.7	28.3	62.3	50.2
Uttar Pradesh	Azamgarh	33.4	14.4	28	58.9	54.3

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
Uttar Pradesh	Gonda	45.9	12.1	28	62	49.3
Uttar Pradesh	Kanpur Nagar	34.6	21.4	27.8	76.3	57
Uttar Pradesh	Pratapgarh	35.5	10	27.7	58	48.9
Uttar Pradesh	Mirzapur	43.4	12.5	27.6	59.8	42.1
Uttar Pradesh	Shamli	28.6	24.3	27.5	65.2	41.7
Uttar Pradesh	Faizabad	30.6	12.4	27.5	57.7	52.3
Uttar Pradesh	Moradabad	34.7	19.1	27	67.6	44.9
Uttar Pradesh	Hapur	30.2	18.5	26.9	69.4	50.6
Uttar Pradesh	Saharanpur	28.8	22	26.7	68.1	41.4
Uttar Pradesh	Bulandshahr	37.6	13.8	26.5	64.1	52
Uttar Pradesh	SantRavidas Nagar (Bhadohi)	42.7	9.1	26.5	59.2	43.8
Uttar Pradesh	Aligarh	35	10.9	26.3	62.6	56.5
Uttar Pradesh	Agra	35.9	16.4	26.2	73	59.4
Uttar Pradesh	Baghpat	25.5	10.3	26	60.2	53.3
Uttar Pradesh	Firozabad	46.9	9.5	25.6	73.9	57.1
Uttar Pradesh	Lucknow	32.1	11.5	25.5	52.9	55.8
Uttar Pradesh	Mahamaya Nagar	39.1	12	24.5	72.1	58.2
Uttar Pradesh	Etawah	38.8	13.9	24.3	74	57.4
Uttar Pradesh	Meerut	32.1	10.2	23.7	55.2	45.5
Uttar Pradesh	Ghaziabad	28.2	17.1	23.4	61.8	55.2
Uttar Pradesh	Gautam Buddha Nagar	25.5	12	21.9	62.9	59.4
Uttar Pradesh	Bijnor	36.2	9.4	21.9	60.9	46
Uttar Pradesh	Mathura	31.6	11	21.3	77.2	63
Uttarakhand	Hardwar	31.1	16.4	27	63.1	43.8
Uttarakhand	Uttarkashi	34.1	10.6	23.5	73.6	60.9
Uttarakhand	Almora	26	17	22.9	57.7	33.4
Uttarakhand	Udham Singh Nagar	26.8	12.4	22	60.8	51
Uttarakhand	Chamoli	34.1	16.2	21.6	65.5	41.8
Uttarakhand	TehriGarhwal	29.3	12.8	20.7	61.7	42.2
Uttarakhand	Pithoragarh	25.6	12.4	20.6	36.2	25.5
Uttarakhand	Dehradun	20.9	10.1	19.1	59.5	47.9
Uttarakhand	PauriGarhwal	30	12	18.8	57.2	40.3
Uttarakhand	Champawat	24.9	12.4	15.3	43.1	32.5
Uttarakhand	Nainital	23.2	14	14.8	59.8	34.5
Uttarakhand	Bageshwar	23.6	7.7	11.9	43.7	27.8
Uttarakhand	Rudraprayag	25.2	8	10.9	52.4	40.6

State/UT	District	Children under 5 years who are stunted (height-for-age) (%)	Children under 5 years who are wasted (weight-for-height) (%)	Children under 5 years who are underweight (weight-for-age) (%)	Children age 6-59 months who are anaemic (<11.0 g/dl) (%)	All women age 15-49 years who are anaemic (%)
West Bengal	Puruliya	36.9	29.4	46.3	77.9	76.7
West Bengal	Birbhum	37	25.5	41.8	76.5	77.7
West Bengal	PaschimBarddhaman	39.7	25.5	41	74.7	65.8
West Bengal	PaschimMedinipur	31.1	30.3	40	66	81.5
West Bengal	Bankura	30.3	26	38.8	67.1	77
West Bengal	Maldah	40.5	20	35.3	71	73.6
West Bengal	Hugli	28.9	20	33.4	67.9	75.1
West Bengal	Kolkata	29.6	29.3	32.9	72.3	58.2
West Bengal	Murshidabad	39.8	16.3	32.4	72.1	77.6
West Bengal	South Twenty Four Parganas	36.7	21.2	32.2	70.4	61.6
West Bengal	Uttar Dinajpur	44.8	16	32	77.2	72.4
West Bengal	PurbaBarddhaman	32.7	21.1	31.6	71.5	77.9
West Bengal	Darjeeling	34.3	20.6	31.6	68.1	59.2
West Bengal	PurbaMedinipur	25.8	15.5	30.6	67.5	70.4
West Bengal	DakshinDinajpur	31.9	22.8	30.2	72.5	82
West Bengal	Haora	27.5	21.3	27.3	67.7	65.3
West Bengal	Jalpaiguri	28.9	18.3	25.4	67.4	71.4
West Bengal	Nadia	26.1	17.6	25.1	63.6	73.4
West Bengal	North Twenty Four Parganas	32.4	13.3	23.6	57.9	65.3
West Bengal	Koch Bihar	28.7	16.8	22.5	66.4	74.8

Annexure III

S. No	State/UTs	No of Beneficiaries (as on 31 st March 2022)				
		Children (6 months - 3 years)	Children (3 - 6 years)	Total Children (6 months - 6 years)	Pregnant & lactating Mothers (P&LM)	Total Beneficiaries (children 6 mo-6 years plus P&LM)
1	Andhra Pradesh	1563150	918768	2481918	713716	3195634
2	Arunachal Pradesh	74920	87120	162040	19547	181587
3	Assam	1504072	1716760	3220832	503877	3724709
4	Bihar	4312447	3905485	8217932	1808655	10026587
5	Chhattisgarh	1129532	995627	2125159	473409	2598568
6	Goa	36709	28207	64916	12202	77118
7	Gujarat	1724251	1666647	3390898	712260	4103158
8	Haryana	608071	359274	967345	290043	1257388
9	Himachal Pradesh	230762	160669	391431	93066	484497
10	Jharkhand	1699783	1328651	3028434	719175	3747609
11	Karnataka	2146780	1860706	4007486	799258	4806744
12	Kerala	576162	537338	1113500	374886	1488386
13	Madhya Pradesh	2697802	3146300	5844102	1088559	6932661
14	Maharashtra	3013369	3426206	6439575	1198509	7638084
15	Manipur#	151983	183292	335275	57376	392651
16	Meghalaya	216537	253812	470349	74994	545343
17	Mizoram	54882	55344	110226	21256	131482
18	Nagaland	188197	180819	369016	41296	410312
19	Odisha	1643047	1731916	3374963	648123	4023086
20	Punjab	606628	348807	955435	266329	1221764
21	Rajasthan	2252076	1488690	3740766	1118558	4859324
22	Sikkim	10230	7435	17665	4268	21933
23	Tamil Nadu	1899056	819922	2718978	762155	3481133
24	Telangana	1011900	570063	1581963	390270	1972233
25	Tripura	140168	176387	316555	50216	366771
26	Uttar Pradesh	8151426	4436339	12587765	3663374	16251139
27	Uttrakhand	392264	213527	605791	156725	762516
28	West Bengal	3513492	3357253	6870745	1465148	8335893
29	A & N Islands	9765	7017	16782	2919	19701
30	Chandigarh	23393	26644	50037	9394	59431
31	Dadra & N Haveli and Daman & Diu	15897	15842	31739	8678	40417
32	Delhi	431992	292898	724890	156573	881463
33	Jammu & Kashmir	381275	348461	729736	156757	886493
34	Ladakh	9167	9235	18402	3271	21673
35	Lakshadweep	2819	1063	3882	1053	4935
36	Puducherry	26237	6076	32313	9670	41983
Total		42450241	34668600	77118841	17875565	94994406

