

**GOVERNMENT OF INDIA  
MINISTRY OF RAILWAYS**

**LOK SABHA  
STARRED QUESTION NO. 131  
TO BE ANSWERED ON 04.12.2024**

**CONSEQUENTIAL RAIL ACCIDENTS**

**\*131. SMT. KANIMOZHI KARUNANIDHI:**

**Will the Minister of RAILWAYS be pleased to state:**

- (a) the details of “Consequential Rail Accidents” including derailment, collisions, fire and level crossing accidents during the last ten years;**
- (b) the number of lives lost due to rail accidents during the said period;**
- (c) the reasons for the accidents, especially collisions and derailment;**
- (d) whether it is a fact that there is a lack of modern signalling and train control systems and shortage of critical safety spaces besides lack of inspection; and**
- (e) if so, the details thereof?**

**ANSWER**

**MINISTER OF RAILWAYS, INFORMATION & BROADCASTING AND  
ELECTRONICS & INFORMATION TECHNOLOGY**

**(SHRI ASHWINI VAISHNAW)**

**(a) to (e): A Statement is laid on the Table of the House.**


**\*\*\*\*\***

**STATEMENT REFERRED TO IN REPLY TO PARTS (a) TO (e) OF STARRED QUESTION NO. 131 BY SMT. KANIMOZHI KARUNANIDHI TO BE ANSWERED IN LOK SABHA ON 04.12.2024 REGARDING CONSEQUENTIAL RAIL ACCIDENTS**

**(a) to (e): As a consequence of various safety measures taken over the years, there has been a steep decline in the number of accidents. Consequential Train Accidents including derailments, collisions, fire and level crossing accidents have reduced from 135 in 2014-15 to 40 in 2023-24 as shown in the graph below. The causes of these accidents broadly include track defects, loco/coach defects, equipment failures, human errors etc.**

**It may be noted that the consequential train accidents during the period 2004-14 was 1711 (average 171 per annum), which has declined to 678 during the period 2014-24 (average 68 per annum), i.e. reduction of 60%.**

**Another important index showing improved safety in train operations is Accidents Per Million Train Kilometer (APMTKM) which has reduced from 0.11 in 2014-15 to 0.03 in 2023-24, indicating an improvement of approx. 73% during the said period.**



**Consequential Train Accidents on Indian Railways and casualties including railway staff therein are as follows:**

<b>Period</b>	<b>No. of Consequential Train Accidents</b>	<b>No. of Deaths</b>	<b>No. of Injuries</b>
<b>2004-05 to 2013-14</b>	<b>1711</b>	<b>904</b>	<b>3155</b>
<b>2014-15 to 2023-24</b>	<b>678</b>	<b>748</b>	<b>2087</b>

**Safety is accorded the highest priority on Indian Railways. The various safety measures including those for upgradation/modernization of Signalling System taken to enhance safety in train operations are as under:-**

- On Indian Railways, the expenditure on Safety related activities has increased over the years as under:**

<b>Expenditure on Safety related activities (Rs. in Cr.)</b>			
	<b>2022-23 (Act.)</b>	<b>2023-24(Act.)</b>	<b>BE 2024-25</b>
<b>Maintenance of Permanent Way &amp; Works</b>	<b>18,115</b>	<b>20,322</b>	<b>21,386</b>
<b>Maintenance of Motive Power and Rolling Stock</b>	<b>27,086</b>	<b>30,864</b>	<b>31,494</b>
<b>Maintenance of Machines</b>	<b>9,828</b>	<b>10,772</b>	<b>11,864</b>
<b>Road Safety LCs and ROBs/ RUBs</b>	<b>5,347</b>	<b>6,662</b>	<b>9,980</b>
<b>Track Renewals</b>	<b>16,326</b>	<b>17,850</b>	<b>17,652</b>
<b>Bridge Works</b>	<b>1,050</b>	<b>1,907</b>	<b>2,137</b>
<b>Signal &amp; Telecom Works</b>	<b>2,456</b>	<b>3,751</b>	<b>4,647</b>
<b>Workshops Incl. PUs and Misc. expenditure on Safety</b>	<b>7,119</b>	<b>9,523</b>	<b>9,615</b>
<b>Total</b>	<b>87,327</b>	<b>1,01,651</b>	<b>1,08,776</b>

- 2. Electrical/Electronic Interlocking Systems with centralized operation of points and signals have been provided at 6,608 stations up to 31.10.2024 to eliminate accident due to human failure.**
- 3. Interlocking of Level Crossing (LC) Gates has been provided at 11,053 level Crossing Gates up to 31.10.2024 for enhancing safety at LC gates.**
- 4. Complete Track Circuiting of stations to enhance safety by verification of track occupancy by electrical means has been provided at 6,619 stations up to 31.10.2024.**
- 5. Kavach is a highly technology intensive system, which requires safety certification of highest order. Kavach was adopted as a National ATP system in July 2020. Kavach is provided progressively in phased manner. Kavach has already been deployed on 1548 RKm on South Central Railway and North Central Railway. Presently, the work is in progress on Delhi-Mumbai and Delhi-Howrah corridors (approximately 3000 Route Km). Track side works on these routes have been completed on about 1081 RKm (705 RKm on Delhi-Mumbai section and 376 RKm on Delhi-Howrah section). Regular trials are being done on these sections.**
- 6. Detailed instructions on issues related with safety of Signalling e.g. mandatory correspondence check, alteration work protocol, preparation of completion drawing, etc. have been issued.**
- 7. System of disconnection and reconnection for S&T equipment as per protocol has been re-emphasized.**
- 8. All locomotives are equipped with Vigilance Control Devices (VCD) to improve alertness of Loco Pilots.**
- 9. Retro-reflective sigma boards are provided on the mast which is located two OHE masts prior to the signals in electrified territories to alert the crew about the signal ahead when visibility is low due to foggy weather.**
- 10. A GPS based Fog Safety Device (FSD) is provided to loco pilots in fog affected areas which enables loco pilots to know the distance of the approaching landmarks like signals, level crossing gates etc.**

- 11. Modern track structure consisting of 60kg, 90 Ultimate Tensile Strength (UTS) rails, Prestressed Concrete Sleeper (PSC) Normal/Wide base sleepers with elastic fastening, fanshaped layout turnout on PSC sleepers, Steel Channel/H-beam Sleepers on girder bridges is used while carrying out primary track renewals.**
- 12. Mechanisation of track laying activity through use of track machines like PQRS, TRT, T-28 etc to reduce human errors.**
- 13. Maximizing supply of 130m/260m long rail panels for increasing progress of rail renewal and avoiding welding of joints, thereby improving safety.**
- 14. Ultrasonic Flaw Detection (USFD) testing of rails to detect flaws and timely removal of defective rails.**
- 15. Laying of longer rails, minimizing the use of Alumino Thermic Welding and adoption of better welding technology for rails i.e. Flash Butt Welding.**
- 16. Monitoring of track geometry by OMS (Oscillation Monitoring System) and TRC (Track Recording Cars).**
- 17. Patrolling of railway tracks to look out for weld/rail fractures.**
- 18. The use of Thick Web Switches and Weldable CMS Crossing in turnout renewal works.**
- 19. Inspections at regular intervals are carried out to monitor and educate staff for observance of safe practices.**
- 20. Web based online monitoring system of track assets viz. Track database and decision support system has been adopted to decide rationalized maintenance requirement and optimize inputs.**
- 21. Detailed instructions on issues related with safety of Track e.g. integrated block, corridor block, worksite safety, monsoon precautions etc. have been issued.**
- 22. Preventive maintenance of railway assets (Coaches & Wagons) is undertaken to ensure safe train operations.**

23. **Replacement of conventional ICF design coaches with LHB design coaches is being done.**
24. **All unmanned level crossings (UMLCs) on Broad Gauge (BG) route have been eliminated by January 2019.**
25. **Safety of Railway Bridges is ensured through regular inspection of Bridges. The requirement of repair/rehabilitation of Bridges is taken up based upon the conditions assessed during these inspections.**
26. **Indian Railways has displayed Statutory “Fire Notices” for widespread passenger information in all coaches. Fire posters are provided in every coach so as to educate and alert passengers regarding various Do’s and Don’ts to prevent fire. These include messages regarding not carrying any inflammable material, explosives, prohibition of smoking inside the coaches, penalties etc.**
27. **Production Units are providing Fire detection and suppression system in newly manufactured Power Cars and Pantry Cars, Fire and Smoke detection system in newly manufactured coaches. Progressive fitment of the same in existing coaches is also underway by Zonal Railways in a phased manner.**
28. **Regular counselling and training of staff is undertaken.**
29. **Concept of Rolling Block introduced in Indian Railways (Open Lines) General Rules vide Gazette notification dated 30.11.2023, wherein work of integrated maintenance/ repair/ replacement of assets is planned up to 52 weeks in advance on rolling basis and executed as per plan.**

**The details of the Safety related works undertaken by Railways are tabulated below:-**

<b>SN</b>	<b>Item</b>	<b>2004-05 to 2013-14</b>	<b>2014-15 to 2023-24</b>	<b>2014-24 Vs. 2004-14</b>
	<b>Track Maintenance</b>			
<b>1.</b>	<b>Expenditure on Track Renewal (Rs. in Cr.)</b>	<b>47,038</b>	<b>1,09,577</b>	<b>2.33 times</b>
<b>2.</b>	<b>Rail Renewal Primary (Track Km)</b>	<b>32,260</b>	<b>43,335</b>	<b>1.34 times</b>

3.	<b>Use of high-quality rails (60 Kg) (Km)</b>	<b>57,450</b>	<b>1,23,717</b>	<b>2.15 times</b>
4.	<b>Longer Rail Panels (260m) (Km)</b>	<b>9,917</b>	<b>68,233</b>	<b>6.88 times</b>
5.	<b>USFD (Ultra Sonic Flaw detection) Testing of Rails (Track km)</b>	<b>20,19,630</b>	<b>26,52,291</b>	<b>1.31 times</b>
6.	<b>USFD (Ultra Sonic Flaw detection) Testing of Welds (Nos.)</b>	<b>79,43,940</b>	<b>1,73,06,046</b>	<b>2.17 times</b>
7.	<b>New Track KM added (Track km)</b>	<b>14,985</b>	<b>31,180</b>	<b>2.08 times</b>
8.	<b>Weld failures (Nos.)</b>	<b>In 2013-14: 3699</b>	<b>In 2023-24: 481</b>	<b>87% reduction</b>
9.	<b>Rail fractures (Nos.)</b>	<b>In 2013-14: 2548</b>	<b>In 2023-24: 383</b>	<b>85% reduction</b>
10	<b>Thick Web Switches (Nos.)</b>	<b>Nil</b>	<b>21,127</b>	
11	<b>Track Machines (Nos.)</b>	<b>As on 31.03.14 = 748</b>	<b>As on 31.03.24 = 1,661</b>	<b>122% increase</b>
	<b>Level Crossing Gate Elimination</b>			
1.	<b>Elimination of Unmanned Level Crossing Gates (Nos.)</b>	<b>As on 31.03.14: 8948</b>	<b>As on 31.03.24: Nil(All eliminated by 31.01.19)</b>	<b>100% reduction</b>
2.	<b>Elimination of Manned Level Crossing Gates (Nos.)</b>	<b>1,137</b>	<b>7,075</b>	<b>6.21 Times</b>
3.	<b>Road over Bridges (RoBs)/ Road under Bridges (RUBs) (Nos.)</b>	<b>4,148</b>	<b>11,945</b>	<b>2.88 Times</b>
4.	<b>Expenditure on LC Elimination (LC+ROB+RUB)</b>	<b>8,825</b>	<b>41,957</b>	<b>4.75 Times</b>
	<b>Bridge Rehabilitation</b>			
1.	<b>Expenditure on Bridge Rehabilitation (Rs. in Cr.)</b>	<b>3,924</b>	<b>8,255</b>	<b>2.10 Times</b>
	<b>Signalling Works</b>			
1.	<b>Electronic Interlocking (Stations)</b>	<b>837</b>	<b>2,964</b>	<b>3.52 times</b>
2.	<b>Automatic Block Signaling (Km)</b>	<b>1,486</b>	<b>2,497</b>	<b>1.67 times</b>
3.	<b>Fog Pass Safety Devices (Nos.)</b>	<b>As on 31.03.14: 90</b>	<b>As on 31.03.24: 19,742</b>	<b>219 times</b>

	<b>Rolling Stock</b>			
<b>1.</b>	<b>Manufacture of LHB Coaches (Nos.)</b>	<b>2,337</b>	<b>36,933</b>	<b>15.80 times</b>
<b>2.</b>	<b>Provision of Fire and Smoke Detection System in AC coaches (Nos. of Coaches)</b>	<b>0</b>	<b>19,271</b>	
<b>3.</b>	<b>Provision of Fire Detection and Suppression System in Pantry and Power Cars (Nos. of Coaches)</b>	<b>0</b>	<b>2,991</b>	
<b>4.</b>	<b>Provision of Fire Extinguishers in Non -AC coaches (Nos. of Coaches)</b>	<b>0</b>	<b>66,840</b>	

\*\*\*\*\*